

NORTH CAROLINA

GOODS AND SERVICES AGREEMENT

BRUNSWICK COUNTY

THIS GOODS AND SERVICES AGREEMENT (hereinafter referred to as the “Agreement”) is made and entered into by and between Brunswick County, a body politic and corporate of the State of North Carolina, (hereinafter referred to as “County”), party of the first part and Northwestern Emergency Vehicles, Inc., (hereinafter referred to as “Provider”), party of the second part.

WITNESSETH:

1. GOODS AND SERVICES; FEES

The goods to be purchased and the services to be performed under this Agreement (hereinafter referred to collectively as the “Project”) and the agreed upon fees for the Project are set forth on Exhibit “A” attached hereto.

Any exhibits or attachments referenced herein are hereby incorporated by reference and made a part of this Agreement. Any conflict between the language in an exhibit or attachment and the main body of this Agreement shall be resolved in favor of the main body of this Agreement.

2. TERM OF AGREEMENT AND TERMINATION

The term of this Agreement begins on 08/02/2021 (the “Effective Date”) and continues in effect until 08/01/2022, unless sooner terminated as provided herein. The County may terminate this Agreement at any time without cause by giving sixty (60) days’ written notice to Provider. As soon as practicable after receipt of a written notice of termination without cause, Provider shall submit a statement to County showing in detail the work performed under this Agreement through the effective date of termination. County may terminate this Agreement for cause by giving written notice of a breach of the Agreement. Provider shall have fifteen (15) days to cure the breach following receipt of the notification. Failure to cure the breach within the fifteen (15) days shall result in the immediate termination of the Agreement. Notwithstanding the foregoing, County may terminate this Agreement immediately and without notice to Provider if Provider becomes insolvent, makes or has made an assignment for the benefit of creditors, is the subject of proceedings in voluntary or involuntary bankruptcy instituted on behalf of or against Provider, or has a receiver or trustee appointed for substantially all of its property, or if Provider allows any final judgment to stand against it unsatisfied for a period of forty-eight (48) hours.

3. NONAPPROPRIATION

If the Board of County Commissioners does not appropriate the funding needed by the County to make payments under this Agreement for a given fiscal year, the County will not be obligated to pay amounts due beyond the end of the last fiscal year for which funds were appropriated. In such event, the County will promptly notify the Provider of the non-appropriation

and this Agreement will be terminated at the end of the last fiscal year for which funds were appropriated. No act or omission by the County which is attributable to non-appropriation of funds shall constitute a breach of or default under this Agreement.

4. COMPENSATION

The County agrees to pay costs as specified in Exhibit "A" or as set out above for the satisfactory completion of the Project. Unless otherwise specified, Provider shall submit monthly invoices to County and include detail of all product delivered or work performed under the terms of this Agreement. County shall pay all undisputed and properly completed invoices within thirty (30) days of receipt. Notwithstanding the foregoing, County will not pay late fees on any charges under this Agreement. If County disputes any portion of the charges on any invoice received from Provider, the County shall inform Provider in writing of the disputed charges. Once the dispute has been resolved, Provider shall re-invoice County for the previously disputed charges, and, per any resolution between County and Provider, the County shall pay those charges in full at that time. No advance payment shall be made for the work to be performed by Provider under this Agreement.

5. INDEPENDENT CONTRACTOR

Both County and Provider agree that Provider shall act as an independent contractor and shall not represent itself as an agent or employee of the County for any purpose in the performance of its duties under this Agreement. Provider represents that it has or will secure, at its own expense, all personnel required in performing the work under this Agreement. Accordingly, Provider shall be responsible for payment of all federal, state and local taxes arising out of its activities in accordance with this Agreement, including, without limitation, federal and state income tax, social security tax, unemployment insurance taxes and any other taxes or business license fees as required. Provider shall not be entitled to participate in any plans, arrangements or distributions by the County pertaining to or in connection with any pension, stock, bonus, profit sharing or other benefit extended to County employees.

In the event the Internal Revenue Service should determine that Provider is, according to Internal Revenue Service guidelines, an employee subject to withholding and social security contributions, then Provider hereby acknowledges that all payments hereunder are gross payments, and the Provider is responsible for all income taxes and social security payments thereon.

6. PROVIDER REPRESENTATIONS

- a. Provider is a duly organized entity or corporation qualified to do business and in good standing under the laws of the State of North Carolina;
- b. Provider has all requisite corporate power and authority to execute, deliver and perform its obligations under this Agreement;

- c. No approval, authorization or consent of any governmental or regulatory authority is required to be obtained or made by it in order for Provider to enter into and perform its obligations under this Agreement;
- d. In connection with Provider's obligations under this Agreement, it shall comply with all applicable federal, state and local laws and regulations and shall obtain all applicable permits and licenses;
- e. Provider shall not violate any agreement with any third party by entering into or performing the work under this Agreement;
- f. Provider will provide all goods and perform all work in conformity with the specifications and requirements of this Agreement;
- g. The goods and services provided by Provider under this Agreement will not violate, infringe or misappropriate any patent, copyright, trademark or trade secret rights of any third party, or any other third-party rights (including, without limitation, non-compete agreements);
- h. Provider shall exercise reasonable care and diligence when performing the work hereunder and will ensure that it adheres to the highest generally accepted standards in the industry when performing said work;
- i. Provider acknowledges that if any specific licenses, certifications or related credentials are required in its performance of the work, it will ensure that such credentials remain current and active and not in a state of suspension or revocation; and
- j. Provider shall ensure that whenever its employees or agents are on County property, they will strictly abide by all instructions and directions issued by the County with respect to rules, regulations, policies and security procedures applicable to work on the County's premises. Such rules, regulations, policies and security procedures shall include, but not be limited to: (i) not possessing any controlled substances; (ii) smoking only in designated smoking areas, if any; and (iii) not possessing weapons, except for weapons possessed by law enforcement officials.

7. WARRANTIES

Without limiting Provider's obligation to provide warranty or maintenance services, and in addition to any other warranties available, Provider hereby assigns to County all of Provider's warranties covering any third-party goods purchased under this Agreement. Provider will provide copies of all said warranties to County upon delivery of the goods.

8. DAMAGE TO EQUIPMENT, FACILITIES, PROPERTY OR DATA

Provider shall be solely responsible for any damage to or loss of the County's equipment, facilities, property and/or data arising out of the negligent or willful act or omission of Provider or

its subcontractors. In the event that Provider causes damage to the County's equipment or facilities, Provider shall, at its own expense, promptly repair or replace such damaged items to restore them to the same level of functionality that they possessed prior to such damage.

9. NON-ENDORSEMENT AND PUBLICITY

County is not endorsing Provider or the goods or services covered under this Agreement, and Provider is not permitted to reference this Agreement or County in any manner without the prior written consent of County. Notwithstanding the foregoing, the parties agree that Provider may list the County as a reference in response to requests for proposals and may identify County as a customer in presentations to potential customers.

10. NON-EXCLUSIVITY

Provider acknowledges that County is not obligated to contract solely with Provider for the goods or services covered under this Agreement.

11. DIVESTMENT FROM COMPANIES THAT BOYCOTT ISRAEL

Provider hereby certifies that it has not been designated by the North Carolina State Treasurer as a company engaged in the boycott of Israel pursuant to N.C.G.S. § 147-86.81.

12. DEBARMENT

Provider hereby certifies that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this Agreement by any governmental department or agency. Provider must notify County within thirty (30) days if debarred by any governmental entity during this Agreement.

13. INDEMNIFICATION

Provider shall defend, indemnify and hold harmless County, its officers, officials, agents and employees from and against all actions, liability, claims, suits, damages, costs or expenses of any kind which may be brought or made against County or which County must pay and incur arising out of or relating to any and all claims, liens, demands, obligations, actions, proceedings or causes of action of every kind in connection with or arising out of this Agreement and/or the performance hereof that are due in part or in the entirety of Provider, its employees or agents. Provider further agrees to investigate, handle, respond to, defend and dispose of same at its sole cost and expense. Provider shall be fully responsible to County for the acts and omissions of its subcontractors and of persons either directly or indirectly employed by it. This Section shall survive any expiration or termination of this Agreement.

14. INSURANCE

Provider shall procure and maintain in full force and effect at all times and at its sole cost and expense Commercial General Liability, Commercial Automobile Liability, Professional

Liability and Workers' Compensation insurance, if applicable, and any additional insurance as may be required by County with limits acceptable to County. All insurance policies (with the exception of Workers' Compensation, if applicable, and Professional Liability) shall be endorsed, specifically or generally, to include County as an additional insured and as a certificate holder. Provider shall furnish a Certificate of Insurance from a licensed insurance agent in North Carolina with a rating of A-VII or better by A.M. Best verifying the existence of any insurance coverage required by County. The Certificate will provide for thirty (30) days' advance notice in the event of termination or cancellation of coverage. Provider shall have no right of recovery or subrogation against County (including its officers, agents and employees), it being the intention of the parties that the insurance policies so affected shall protect both parties and be primary coverage for any and all losses covered by the aforementioned insurance.

15. WORKERS' COMPENSATION

To the extent required by law, Provider shall comply with the North Carolina Workers' Compensation Act and shall provide for the payment of workers' compensation to its employees in the manner and to the extent required by such Act. In the event Provider is excluded from the requirements of such Act and does not voluntarily carry workers' compensation coverage, Provider shall carry or cause its employees to carry adequate medical/accident insurance to cover any injuries sustained by its employees or agents while fulfilling Provider's obligations under this Agreement.

Provider agrees to furnish County proof of compliance with said Act or adequate medical/accident insurance coverage upon request.

16. REMEDIES

- a. **RIGHT TO COVER.** If Provider fails to meet any completion date or resolution time set forth, due to no fault of County, the County may take any of the following actions with or without terminating this Agreement, and in addition to, and without limiting, any other remedies it may have:
 - i. Employ such means as it may deem advisable and appropriate to perform itself or obtain the goods and/or services from a third party until the matter is resolved and Provider is again able to resume performance under this Agreement; and
 - ii. Deduct any and all expenses incurred by County in obtaining the goods and/or performing the services from any money then due or to become due Provider and, should the County's cost of obtaining the goods and/or performing the services exceed the amount due Provider, collect the amount due from Provider.
- b. **RIGHT TO WITHHOLD PAYMENT.** County reserves the right to withhold any portion, or all, of a scheduled payment if Provider fails to perform under this Agreement until such breach has been fully cured.

- c. **SETOFF.** Each party shall be entitled to set off and deduct from any amounts owed to the other party pursuant to this Agreement all damages and expenses incurred or reasonably anticipated as a result of the other party's breach of this Agreement.
- d. **OTHER REMEDIES.** Upon breach of this Agreement, each party may seek all legal and equitable remedies to which it is entitled. The remedies set forth herein shall be deemed cumulative and not exclusive and may be exercised successively or concurrently in addition to any other available remedy.
- e. **NO SUSPENSION.** In the event that County disputes in good faith an allegation of breach by Provider, notwithstanding anything to the contrary in this Agreement, Provider agrees that it will not terminate this Agreement or suspend or limit any services or warranties, unless: (i) the parties agree in writing; or (ii) an order of a court of competent jurisdiction determines otherwise; provided, however, this dispute period shall be limited to ninety (90) days.

17. TAXES

Provider shall be responsible for paying all taxes, fees, assessments and premiums of any kind payable on its employees and operations. Provider shall substantiate, on demand by the County, that all taxes and other charges are being properly paid.

18. HEALTH AND SAFETY

Provider shall be responsible for initiating, maintaining, and supervising all safety precautions and programs in connection with completing the Project. Provider shall take all necessary precautions for the safety of, and shall provide the necessary protection to prevent damage, injury or loss to all employees in connection with completing the Project and other persons who may be affected thereby.

19. NON-DISCRIMINATION IN EMPLOYMENT

Provider shall not discriminate against any employee or applicant for employment because of race, ethnicity, gender, gender identity, sexual orientation, age, religion, national origin, disability, color, ancestry, citizenship, genetic information, political affiliation or military/veteran status, or any other status protected by federal, state or local law or other unlawful form of discrimination. Provider shall take affirmative action to ensure that applicants are employed and that employees are treated fairly during employment. In the event Provider is determined by the final order of an appropriate agency or court of competent jurisdiction to be in violation of any non-discrimination provision of federal, state or local law or this provision, this Agreement may be cancelled, terminated or suspended in whole or in part by County, and Provider may be declared ineligible for further County agreements.

20. COMPLIANCE WITH E-VERIFY PROGRAM

Pursuant to N.C.G.S. § 143-133.3, Provider understands that it is a requirement of this Agreement that Provider and its subcontractors must comply with the provisions of Article 2 of Chapter 64 of the North Carolina General Statutes. In doing so, Provider agrees that, unless it is exempt by law, it shall verify the work authorization of its employees utilizing the federal E-Verify program and standards as promulgated and operated by the United States Department of Homeland Security, and Provider shall require its subcontractors to do the same. Upon request, Provider agrees to provide County with an affidavit of compliance or exemption.

21. CONFIDENTIAL INFORMATION

For purposes of this Agreement, the party disclosing Confidential Information is the “Discloser,” and the party receiving Confidential Information is the “Recipient.” “Confidential Information” shall mean any nonpublic information concerning the parties’ respective businesses including, but not limited to, all tangible, intangible, visual, electronic, present or future information such as: (a) trade secrets; (b) financial information, including pricing; (c) technical information, including research, development, procedures, algorithms, data, designs and know-how; (d) business information, including operations, planning, marketing interests and products; and (e) the terms of any agreement between the parties and the discussions, negotiations and proposals related thereto. Confidential Information disclosed to the other party must be clearly identified. Written Confidential Information must be clearly marked in a conspicuous place with an appropriate legend identifying the information as “Confidential.” Confidential Information that is not written must be identified as confidential at the time of disclosure and confirmed in writing delivered to Recipient within fifteen (15) days of disclosure.

The restrictions regarding the use and disclosure of Confidential Information do not apply to information that is:

- a. in the public domain through no fault of the Recipient;
- b. within the legitimate possession of the Recipient, with no confidentiality obligations to a third party;
- c. lawfully received from a third party having rights in the information without restriction, and without notice of any restriction against its further disclosure;
- d. independently developed by the Recipient without breaching this Agreement or by parties who have not had, either directly or indirectly, access to or knowledge of the Confidential Information;
- e. disclosed with the prior written consent of the Discloser; or
- f. required to be disclosed by law, regulation or court or governmental order, specifically including requests pursuant to the Public Records Laws of North Carolina contained in Chapter 132 of the North Carolina General Statutes. In the event Recipient receives such a request, it shall notify Discloser and Discloser shall have the opportunity to defend against production of such records at Discloser’s sole expense.

22. OWNERSHIP OF WORK PRODUCT

Should Provider's performance under this Agreement generate documents or other work product that are specific to the Project hereunder, such documents or work product shall become the property of County and may be used by County on other projects without additional compensation to Provider.

23. NO ASSIGNMENT WITHOUT CONSENT

Neither party shall assign this Agreement (or assign any right or delegate any obligation contained herein whether such assignment is of service, of payment or otherwise) without the prior written consent of the other party hereto. Any such assignment without the prior written consent of the other party hereto shall be void. An assignee shall acquire no rights, and County shall not recognize any assignment in violation of this provision.

24. GOVERNING LAW AND VENUE

This Agreement shall be governed by applicable federal law and by the laws of the State of North Carolina without regard for its choice of law provisions. All actions relating in any way to this Agreement shall be brought in the General Court of Justice of the State of North Carolina in Brunswick County or in the Federal District Court for the Eastern District of North Carolina, Wilmington division.

25. DISPUTE RESOLUTION

Should a dispute arise as to the terms of this Agreement, both parties agree that neither may initiate binding arbitration. The parties may agree to non-binding mediation of any dispute prior to the bringing of any suit or action.

26. GOVERNMENTAL IMMUNITY

County, to the extent applicable, does not waive its governmental immunity by entering into this Agreement and fully retains all immunities and defenses provided by law with regard to any action based on this Agreement.

27. NON-WAIVER

Failure by County at any time to require the performance by Provider of any of the provisions of this Agreement shall in no way affect County's right hereunder to enforce the same, nor shall any waiver by County of any breach be held to be a waiver of any succeeding breach or a waiver of this Section.

28. ENTIRE AGREEMENT

This Agreement constitutes the entire agreement between the parties with respect to the subject matter herein. There are no other representations, understandings or agreements between the parties with respect to such subject matter. This Agreement supersedes all prior agreements, negotiations, representations and proposals, written or oral.

29. HEADINGS

The headings in this Agreement are for convenience of reference only and shall not define or limit any of the terms or provisions hereof.

30. SEVERABILITY

The invalidity of one or more of the phrases, sentences, clauses or sections contained in this Agreement shall not affect the validity of the remaining portion of the Agreement so long as the material purposes of this Agreement can be determined and effectuated. If a provision of this Agreement is held to be unenforceable, then both parties shall be relieved of all obligations arising under such provision, but only to the extent that such provision is unenforceable, and this Agreement shall be deemed amended by modifying such provision to the extent necessary to make it enforceable while preserving its intent.

31. AMENDMENTS

No amendments or changes to this Agreement, or additional Proposals or Statements of Work, shall be valid unless in writing and signed by authorized agents of both Provider and County.

32. NOTICES

- a. **DELIVERY OF NOTICES.** Any notice, consent or other communication required or contemplated by this Agreement shall be in writing, and shall be delivered in person, by U.S. mail, by overnight courier, by electronic mail or by facsimile to the intended recipient at the address set forth below.
- b. **EFFECTIVE DATE OF NOTICES.** Any notice shall be effective upon the date of receipt by the intended recipient; provided that any notice which is sent by facsimile or electronic mail shall also be simultaneously sent by mail deposited with the U.S. Postal Service or by overnight courier.

c. **NOTICE ADDRESS.** Communications that relate to any breach, default, termination, delay in performance, prevention of performance, modification, extension, amendment or waiver of any provision of this Agreement shall be sent to:

- i. For the County: Brunswick County Manager
P.O. Box 249
Bolivia, NC 28422
Fax: 910-253-2022

- ii. For the Provider: Northwestern Emergency Vehicles, Inc.
268 NWEV Drive
West Jefferson, NC 28694

[SIGNATURES APPEAR ON FOLLOWING PAGE]

33. SIGNATURES

This Agreement, together with any amendments or modifications, may be executed in one or more counterparts, each of which shall be deemed an original and all of which shall be considered one and the same agreement. This Agreement may also be executed electronically. By signing electronically, the parties indicate their intent to comply with the Electronic Commerce in Government Act (N.C.G.S § 66-358.1 et seq.) and the Uniform Electronic Transactions Act (N.C.G.S § 66-311 et seq.). Delivery of an executed counterpart of this Agreement by either electronic means or by facsimile shall be as effective as a manually executed counterpart.

ATTEST:

BRUNSWICK COUNTY

Clerk to the Board /
Deputy Clerk to the Board

By: _____
Chairman, Board of Commissioners

[SEAL]

NORTHWESTERN EMERGENCY VEHICLES, INC.

By: Richard Hamby

Printed Name: Richard Hamby

Title: President

Date: 7/28/2021

“This instrument has been preaudited in the manner required by the Local Government Budget and Fiscal Control Act.”

Julie A. Miller
Julie A. Miller, Director of Fiscal Operations
Brunswick County, North Carolina

APPROVED AS TO FORM

Bryan W. Batton
Robert V. Shaver, Jr., County Attorney /
Bryan W. Batton, Assistant County Attorney

EXHIBIT "A"

NORTHWESTERN EMERGENCY VEHICLES

*POST OFFICE BOX 790
JEFFERSON, NORTH CAROLINA 28640
PHONE: 800-536-8488
FAX: 336-246-8978*

PROPOSAL FOR BRUNSWICK COUNTY EMERGENCY SERVICES

Date: June 28, 2021

Customer: Brunswick County Emergency Services
Attn: Lyle Johnston
3325 Old Ocean Hwy
PO Box 249
Bolivia, NC 28422

Proposal is Priced through the NC Sheriffs' Association Contract

Three (3) 2022 Chevrolet 5500 Type I AEV Ambulances @ \$240,872.09 Each

Total Proposed Price for Three (3) Units: \$722,616.27

QUOTATION

Northwestern Emergency Vehicles

Brunswick County EMS
Phillip Britt

2020 Type I Chev 5500 AEV
Total-\$240,872.09 EACH
NORTH CAROLINA SHERIFF'S ASSOCIATION

Exp. Date: 09/30/2021
Quote No: 10255-0019
TYPE9: 17296-TPSX Top Level - Silverado HD LWB X-Series
GENERAL: GEN_INFO X *****BID STANDARDS*****
CHASSIS: CCK4500M1 *****Silverado/CV515 MD 189 Chassis *****
CONVERSION: 172T9LWGX 172 x 96 LWB Silverado HD X-Series Conversion
BASE: 172T1LWBKX 172 x 95 LWB Silverado HD X Base Price

07/22/2021

Page 1

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|-----|---|-----|-----|----------|----------|
| | | == *****BID STANDARDS***** - 15.015 07/22/20 == | 1 | AEV | 0.00 | 0.00 |
| 00-00-0107 | | -- Order Date: Post July 1, 2019 | 1 | AEV | 0.00 | 0.00 |
| 00-00-0113 | < | -- Ambulance Built to Star Of Life KKK-A-1882-F Certification, Latest Revision | 1 | AEV | 0.00 | 0.00 |
| 00-10-0010 | S | Party Identification XXXXX | 1 | AEV | 0.00 | 0.00 |
| 00-10-0015 | | Vehicle Quantity (Vehicles) | 1 | AEV | 0.00 | 0.00 |
| 00-10-0017 | | Ford QVM, Qualified Vehicle Modifiers Program Member | 1 | AEV | 0.00 | 0.00 |
| 00-10-0018 | | Product Liability Insurance | 1 | AEV | 0.00 | 0.00 |
| 00-10-0019 | | Non-Discrimination and Equal Opportunity | 1 | AEV | 0.00 | 0.00 |
| 00-10-0020 | | Drug Free Work Place | 1 | AEV | 0.00 | 0.00 |
| 00-10-0023 | | Quality Management System ISO 9001(TM):2015 Registered | 1 | AEV | 0.00 | 0.00 |
| 00-91-0009 | | ACCOUNT MANAGER: **MUST CHOOSE AN ACCOUNT MANAGER** | 1 | AEV | 0.00 | 0.00 |
| 00-99-0150 | S | Debarment Status XXXX | 1 | AEV | 0.00 | 0.00 |
| 00-99-9000 | | Revision Level: 0 - Zero - ORIGINAL VERSION | 1 | AEV | 0.00 | 0.00 |
| | | Aluminum Composite Cabinet Configuration | 1 | AEV | 0.00 | 0.00 |
| | | == *****Silverado/CV515 MD 189 Chassis ***** - 15.015 07/22/20 == | 1 | AEV | 0.00 | 0.00 |
| 01-1N-0000 | | Type I Medium Duty Modular Ambulance | 1 | AEV | 0.00 | 0.00 |
| 01-AP-1C4H | S < | 2022 GM, CC5500 Silverado HD Diesel 4 x 2 DRW Reg Cab, 189" WB 108 CA , 6.6L | 1 | AEV | 69339.09 | 69339.09 |
| 01-3G-C66F | | -- Engine: 6.6L DuraMax V-8 Turbo Diesel - C/K-series OEM B20 Diesel | 1 | AEV | 0.00 | 0.00 |
| 01-3G-C74E | | -- Transmission:MH1 Allison Automatic 6-speed Heavy duty | 1 | AEV | 0.00 | 0.00 |
| 01-3G-C820 | | -- Rear Axle: 4.30 ratio, Limited slip Dana Spicer true trac, torque proportioning | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 2

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|---|---|-----|-----|-------|----------|
| 01-3G-DIHH | | -- High Idle (Throttle): OEM thru Cruise Control | 1 | AEV | 0.00 | 0.00 |
| 01-3G-GVW5 | | -- GVWR (4x4): GVWR 19,500 pounds, FAWR = 7,500 , RAWR = 13,500 | 1 | AEV | 0.00 | 0.00 |
| 01-3G-K65D | | -- GM Option KHB Alternator: Dual 150 amp, and 220 amp Each OEM | 1 | AEV | 0.00 | 0.00 |
| 01-3G-KA4C | | -- Engine Block Heater: OEM K05 | 1 | AEV | 0.00 | 0.00 |
| 01-3G-KAEB | | -- Exhaust Brake for diesel C/K series option K40 via OEM dash switch | 1 | AEV | 0.00 | 0.00 |
| 01-3G-KAEM | < | -- Exhaust Modification to extend and turn out past side of module curbside STD | 1 | AEV | 0.00 | 0.00 |
| 01-3G-NH4A | | -- Fuel Tank: 40 Gallon, Single Rear of Rear Axle | 1 | AEV | 0.00 | 0.00 |
| 01-3G-R1QH | < | -- Tires and Wheels: All Season, LT225/70R19.5G White Steel Wheels | 1 | AEV | 0.00 | 0.00 |
| 01-3G-R1R1 | | -- Wheel Finish: Polished SS Simulators | 1 | AEV | 0.00 | 0.00 |
| 01-3G-R2QH | < | -- Spare Tire and Wheel: All Terrain, LT225/70R19.5G mounted on Black steel wheel | 1 | AEV | 0.00 | 0.00 |
| 04-SU-19F2 | < | -- Rear Suspension: C 55/65 4x2 to Liquid spring BY FONTAINE PRIOR TO AEV | 1 | AEV | 0.00 | 0.00 |
| 01-TT-0208 | < | -- ""DETAIL"" Liquid Rear Suspension Decal Install | 1 | AEV | 0.00 | 0.00 |
| 04-SU-0601 | | -- Kneeling Feature: Enable Switch Located in CAB console | 1 | AEV | 0.00 | 0.00 |
| 04-SU-0610 | | -- Kneeling Feature: Activated by TRAILING rear access door | 1 | AEV | 0.00 | 0.00 |
| 01-3G-AU0A | | -- Cab Equipment: Keyless Remote | 1 | AEV | 0.00 | 0.00 |
| 01-3G-DB6C | | -- Mirror: Exterior Elect/Heated Manual Folding with Extension | 1 | AEV | 0.00 | 0.00 |
| 01-3G-DC01 | | -- Vehicle window glass, deep-tinted. | 1 | AEV | 0.00 | 0.00 |
| 01-3G-GF10 | | -- Cab door handle exterior Chrome | 1 | AEV | 0.00 | 0.00 |
| 01-3G-GFOD | < | -- Deluxe Front Appearance Package: Tilt-hood chrome grille | 1 | AEV | 0.00 | 0.00 |
| 01-3G-U202 | | -- OEM Rear Backup camera, Black Displays into front Radio (Silverado) | 1 | AEV | 0.00 | 0.00 |
| 01-3G-69IA | | -- Interior Trim, Very Dark Pewter | 1 | AEV | 0.00 | 0.00 |
| 01-3G-69IB | | -- Interior cloth, Jet Black | 1 | AEV | 0.00 | 0.00 |
| 01-3G-A18C | | -- Cab Seat Adj.....: Driver, Passenger, Manual Adjust | 1 | AEV | 0.00 | 0.00 |
| 01-3G-A180 | | -- Cab Seat Belts; Orange Upgrade option 379 | 1 | AEV | 0.00 | 0.00 |
| 01-3G-DK01 | | -- Option 5H1 Additional Chassis keys two, for four total | 1 | AEV | 0.00 | 0.00 |
| 01-3G-U1CD | | -- Radio: Cab; Option IO5 AM/FM Stereo, 8" touch screen Aux Jack, Bluetooth USB std | 1 | AEV | 0.00 | 0.00 |
| 12-PT-1500 | | -- OEM Certified Idle System Stickers: On Front Cab Fenders | 1 | AEV | 0.00 | 0.00 |
| 01-TP-0010 | | -- Tire Pressure Monitoring System: None | 1 | AEV | 0.00 | 0.00 |
| 01-FU-0150 | < | Fuel Surcharge, M2-4500, Any-WB Chassis, Med Duty | 1 | AEV | 61.00 | 61.00 |
| | | == 172 x 96 LWB Silverado HD X-Series Conversion - 15.015 07/22/20 == | 1 | AEV | 0.00 | 0.00 |
| 06-EA-01FD | | Tire Valve Extensions, S/S Braided, PR, Dual Rear Wheel | 1 | AEV | 52.00 | 52.00 |

07/22/2021

Page 3

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|---|--|----------|------------|-------------|-------------|
| | | BODY Generation 9 | 1 | AEV | 0.00 | 0.00 |
| 02-00-0003 | < | -- ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4" | 1 | AEV | 0.00 | 0.00 |
| 02-00-0010 | S | ***CURBSIDE PATIENT COMPT.MOVED FORWARD*** | 1 | AEV | 0.00 | 0.00 |
| 02-B2-XO96 | | Body, Mod: Type 1 LWB, 172" x 96" x 72" Interior HR - 6" Body Drop Silverado X | 1 | AEV | 0.00 | 0.00 |
| 02-00-0006 | | -- Headroom: 74/72" Finished Interior - Ducted A/C | 1 | AEV | 0.00 | 0.00 |
| 02-00-0060 | | -- Compartment and Entry door Full length Stainless Steel Hinges std | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC01 | < | -- Compartment Construction: STANDARD, Unless Specified Otherwise | 1 | AEV | 0.00 | 0.00 |
| 02-B0-SFL0 | < | -- Compt Floors: Sweep-out, even with bottom door jamb | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC41 | | -- Compartment floor thickness .125" standard | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC18 | | -- Compartment Ventilation - Flap style #VT-2495-A01, STD | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CEX2 | | -- Curbside Entry Door (CSE): 84.813"H x 31.0"W X w/6" drop | 1 | AEV | 0.00 | 0.00 |
| 02-B0-09B2 | | -- C/S Door Check : Double Action Gas Shock | 1 | AEV | 0.00 | 0.00 |
| 04-EA-09B1 | | -- Door Swing Angle: Set to 90-100 degrees | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CESL | | -- Curbside Entry Door (CSE) Location: Standard, Rearward of M-7 Compt if Optioned | 1 | AEV | 0.00 | 0.00 |
| 02-B1-SWX2 | < | -- Step Well, CURBSIDE Entry Door, 2-Step Embossed Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 05-IL-09X1 | < | -- Light, Step Well: 3" Kinequip #4302S, Chrome, LED, STD | 1 | AEV | 0.00 | 0.00 |
| 05-IL-09XN | | -- Light, Step Well #2 : NONE | 1 | AEV | 0.00 | 0.00 |
| 02-BC-0504 | | -- Walk through, Cab Height, T1 Light Truck Dodge | 1 | AEV | 731.00 | 731.00 |
| 02-BC-0700 | < | -- Cab Roof Support : 3/16" x 3" Steel Plate, Per Engineering Drawing | 1 | AEV | 0.00 | 0.00 |
| 04-00-0900 | < | -- Threshold Transition Plate - Type I | 1 | AEV | 0.00 | 0.00 |
| 02-BD-0100 | | -- Body Drop: 6" Curbside, Ahead of Rear Wheels | 1 | AEV | 0.00 | 0.00 |
| 02-X1-M149 | | -- M-1 Compt (LF): 61.5" H x 22.125" W x 20.0" D | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC02 | < | -- Compartment Construction: STANDARD Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC08 | | -- Compartment Door Panel: Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 12-DC-GA10 | | -- Compartment Finish: Diamond Plate Standard | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC16 | | -- Compartment Door Ventilation - small punched half-moon Louvered Door | 1 | AEV | 0.00 | 0.00 |
| 02-B0-SWFL | | -- Compt Floor: Sweep-out, even with bottom door jamb. | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC41 | | -- Compartment floor thickness .125" standard | 1 | AEV | 0.00 | 0.00 |
| 02-BC-10A5 | | -- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch | 1 | AEV | 0.00 | 0.00 |
| 02-B0-09B0 | | -- Compt Door Check: Double Action Gas Shock | 1 | AEV | 0.00 | 0.00 |
| 04-EA-09B1 | | -- Door Swing Angle: Set to 90-100 degrees | 1 | AEV | 0.00 | 0.00 |
| 05-EL-40X1 | < | -- Light, Compt, LED, M-1 (LF): Intertek Model No ZY-156-LEDC, STD | 1 | AEV | 0.00 | 0.00 |
| 08-B1-02LI | | -- Prep for 02 Lift: NONE | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 4

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|---|--|-----|-----|---------|----------|
| 09-ZZ-ZZZZ | S | -- ****SEE CUSTOM DRAWINGS*** | 1 | AEV | 0.00 | 0.00 |
| 02-X1-M1AD | | -- M-1A Comp (LF Upper):72 HR, 17.56" H x 22.125" W x 20.0" D | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC02 | < | -- Compartment Construction: STANDARD Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC08 | | -- Compartment Door Panel: Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 12-DC-GA10 | | -- Compartment Finish: Diamond Plate Standard | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC1B | | -- Compartment Ventilation - M-1A Pancake Fan & 1-Column of Louvers | 1 | AEV | 58.00 | 58.00 |
| 02-B0-SWFL | | -- Compt Floor: Sweep-out, even with bottom door jamb. | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC41 | | -- Compartment floor thickness .125" standard | 1 | AEV | 0.00 | 0.00 |
| 02-BC-10A0 | | -- Compartment Door: SINGLE DOOR, 1-point Latch | 1 | AEV | 0.00 | 0.00 |
| 02-B0-09B0 | | -- Compt Door Check: Double Action Gas Shock | 1 | AEV | 0.00 | 0.00 |
| 04-EA-09B1 | | -- Door Swing Angle: Set to 90-100 degrees | 1 | AEV | 0.00 | 0.00 |
| 05-EL-40XB | < | -- Light, Compt, LED, M-1A (LF Upper): Intertek Model No ZY-156-LEDC, STD | 1 | AEV | 0.00 | 0.00 |
| 02-X1-M278 | | -- M-2 Compt (LFM): 34.5" H x 49.875" W x 20.0" D | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC02 | < | -- Compartment Construction: STANDARD Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC08 | | -- Compartment Door Panel: Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 12-DC-GA10 | | -- Compartment Finish: Diamond Plate Standard | 1 | AEV | 0.00 | 0.00 |
| 02-B0-SWFL | | -- Compt Floor: Sweep-out, even with bottom door jamb. | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC41 | | -- Compartment floor thickness .125" standard | 1 | AEV | 0.00 | 0.00 |
| 02-B1-BIOX | < | -- Bio-Waste: Diamond Plate Closeout for Bio in A/A | 1 | AEV | 0.00 | 0.00 |
| 02-B1-ELEH | | -- Electrical Compartment : Circuit Board Storage relocated to cabinet H | 1 | AEV | 0.00 | 0.00 |
| 02-BC-10D0 | | -- Doors, Compartment, DOUBLE DOORS (std) | 1 | AEV | 0.00 | 0.00 |
| 02-B0-09B0 | | -- Compt Door Check: Double Action Gas Shock | 1 | AEV | 0.00 | 0.00 |
| 04-EA-09B1 | | -- Door Swing Angle: Set to 90-100 degrees | 1 | AEV | 0.00 | 0.00 |
| 04-TS-11D3 | | -- M-2 Shelf, Adjustable, Ext: .125 Alum, 2" Upward lip | 1 | AEV | 0.00 | 0.00 |
| 04-TS-4010 | | -- Shelf Bracket: CPI 90 Deg with Slotted Holes | 1 | AEV | 0.00 | 0.00 |
| 05-EL-40X2 | < | -- Lights, (2) Compartment: Kinequip #KSLC8 8", Strip Light, M-2, STD | 1 | AEV | 0.00 | 0.00 |
| 06-RR-13Z0 | | -- Standard Conduit: 1-1/2", with pull wire | 1 | AEV | 0.00 | 0.00 |
| 06-RR-13O4 | | -- CONDUIT ORIGATION POINT: M-2 compartment | 1 | AEV | 0.00 | 0.00 |
| 06-RR-13T3 | | -- CONDUIT TERMINATION POINT: Behind A/A Board (Panel) | 1 | AEV | 0.00 | 0.00 |
| 06-RR-13Z1 | | -- Conduit #2 1-1/2" diameter, with pull wire, Type 1 units Std | 1 | AEV | 0.00 | 0.00 |
| 06-RR-13O1 | | -- CONDUIT ORIGATION POINT: Electrical Circuit board cabinet | 1 | AEV | 0.00 | 0.00 |
| 06-RR-13T2 | | -- CONDUIT TERMINATION POINT: Behind Driver's seat | 1 | AEV | 0.00 | 0.00 |
| 09-ZZ-ZZZZ | S | -- ***ARTIC WEDGE/Front OF BODY*** | 1 | AEV | 1930.00 | 1930.00 |
| 02-X1-M375 | | -- M-3 Compt (LR): 34.5" H x 36.625" W x 12.0" D | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC02 | < | -- Compartment Construction: STANDARD Diamond Plate | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 5

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|---|---|-----|-----|---------|----------|
| 02-B0-CC08 | | -- Compartment Door Panel: Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 12-DC-GA10 | | -- Compartment Finish: Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| | | Standard | | | | |
| 02-B0-SWFL | | -- Compt Floor: Sweep-out, even with bottom door jamb. | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC41 | | -- Compartment floor thickness .125" standard | 1 | AEV | 0.00 | 0.00 |
| 02-BC-10A5 | | -- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch | 1 | AEV | 0.00 | 0.00 |
| 02-B0-09B0 | | -- Compt Door Check: Double Action Gas Shock | 1 | AEV | 0.00 | 0.00 |
| 04-EA-09B1 | | -- Door Swing Angle: Set to 90-100 degrees | 1 | AEV | 0.00 | 0.00 |
| 05-EL-40X3 | < | -- Light, Compt, LED, M-3 (LR): Intertek Model No ZY-156-LEDC, STD | 1 | AEV | 0.00 | 0.00 |
| 02-X1-M574 | | -- M-5 Compt (RR): 72 HR, 82.812" H x 25.625" W x 21." D | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC02 | < | -- Compartment Construction: STANDARD Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC08 | | -- Compartment Door Panel: Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 12-DC-GA10 | | -- Compartment Finish: Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| | | Standard | | | | |
| 02-B0-CC12 | < | -- Compartment Ventilation - Compartment Ceiling O O O O | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC16 | | -- Compartment Door Ventilation - small punched half-moon Louvered Door | 1 | AEV | 0.00 | 0.00 |
| 02-B0-SWFL | | -- Compt Floor: Sweep-out, even with bottom door jamb. | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC41 | | -- Compartment floor thickness .125" standard | 1 | AEV | 0.00 | 0.00 |
| 02-BC-10A5 | | -- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch | 1 | AEV | 0.00 | 0.00 |
| 02-B0-09B0 | | -- Compt Door Check: Double Action Gas Shock | 1 | AEV | 0.00 | 0.00 |
| 04-EA-09B1 | | -- Door Swing Angle: Set to 90-100 degrees | 1 | AEV | 0.00 | 0.00 |
| 04-TS-17M5 | | -- M-5 Dividers, Adj: (1) 14x60 H, (1) 14x30 H, Opt #2 | 1 | AEV | 0.00 | 0.00 |
| 04-TS-1001 | | -- Divider Material: .125 Aluminum Sheet | 1 | AEV | 0.00 | 0.00 |
| 04-TS-STR1 | < | -- Strap: 2" Webb Seatbelt buckle chrome footman loops | 1 | AEV | 0.00 | 0.00 |
| 04-TS-STR2 | | -- 2" Footman Loops: Locate back from jamb | 1 | AEV | 0.00 | 0.00 |
| 05-EL-40X5 | < | -- Light, Compt, LED, M-5 (RR): Intertek Model No ZY-156-LEDC, STD | 1 | AEV | 0.00 | 0.00 |
| 02-M1-X600 | | -- M-6 Compt (RRFwd): Delete | 1 | AEV | -295.00 | -295.00 |
| 02-X1-M763 | | -- M-7 Compt (RF): 72 HR, 46.6" H x 25.25" W, I/O to ALS | 1 | AEV | 0.00 | 0.00 |
| 02-BC-10A5 | | -- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch | 1 | AEV | 0.00 | 0.00 |
| 02-B0-09B0 | | -- Compt Door Check: Double Action Gas Shock | 1 | AEV | 0.00 | 0.00 |
| 04-EA-09B1 | | -- Door Swing Angle: Set to 90-100 degrees | 1 | AEV | 0.00 | 0.00 |
| 05-EL-40M7 | | -- Light, Compt, M-7 (RF): NONE | 1 | AEV | 0.00 | 0.00 |
| 02-X1-M864 | | -- M-8 Drawer (RF): Batt, 172, 12.1" H x 25.25" W x 21.9" D | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC02 | < | -- Compartment Construction: STANDARD Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 02-B0-CC08 | | -- Compartment Door Panel: Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 12-DC-GA10 | | -- Compartment Finish: Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| | | Standard | | | | |
| 02-BC-10E0 | | -- Drawer Front: 2-point latch | 1 | AEV | 0.00 | 0.00 |
| 05-ZZ-ZZZZ | S | -- ***BODY DROP / BOTH SIDES/6" | 1 | AEV | 350.00 | 350.00 |

07/22/2021

Page 6

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|-------------------------|-----|--|----------|------------|-------------|-------------|
| 02-X1-RA02 | | -- Rear Access Doors: 46.75" Wide x 60.625" High | 1 | AEV | 0.00 | 0.00 |
| 09-IN-3STX | < | -- Insulation: All Module Doors, 2" Black Foam, X-Series units | 1 | AEV | 0.00 | 0.00 |
| 09-IN-3STY | < | -- Insulation: All Module Doors, Black Sound Proofing, X-Series units | 1 | AEV | 0.00 | 0.00 |
| WELDING - CELL 1 | | | 1 | AEV | 0.00 | 0.00 |
| 04-00-0001 | | | 1 | AEV | 0.00 | 0.00 |
| 04-BP-X146 | | BODY PROTECTION AND TRIM PACKAGE: Silverado X-Series Units | 1 | AEV | 0.00 | 0.00 |
| 04-AS-0370 | | -- Wire/Hose Cover : Diamond Plate, Between Cab & Module | 1 | AEV | 0.00 | 0.00 |
| 04-AS-06A0 | | -- Fuel Fill: CPI C1045, Open Housing, Polished Bezel - (Std) | 1 | AEV | 0.00 | 0.00 |
| 04-BW-ABY1 | < | -- Bumper, Rear: X-Series 1/9 96" Wide w/ Embossed D/P Pontoon Covers | 1 | AEV | 0.00 | 0.00 |
| 04-BW-FLIW | < | -- Step, Center:2" x 9" Bar Grate, flip-up, recessed | 1 | AEV | 0.00 | 0.00 |
| 04-EA-1306 | | -- Dock Bumpers: Rubber D-Shape, 4" H x 18" W x 4" Thick X-series | 1 | AEV | 0.00 | 0.00 |
| 04-BW-RF20 | < | -- Fenders, Rear: Rubber Extruded, Black | 1 | AEV | 0.00 | 0.00 |
| 04-BW-DN00 | | -- Corner Caps "X Series: | 1 | AEV | 0.00 | 0.00 |
| 04-BW-DN23 | < | -- Front Corner Caps: 24.0" High, Alum Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 04-BW-DN33 | < | -- Rear Corner Caps: 24" High, Polished Diamond Plate, X-Series | 1 | AEV | 0.00 | 0.00 |
| 04-BW-DP1F | S < | -- Rear kickplate Custom with laser cut "BRUNSWICK" W/ red LED backlite | 1 | AEV | 1280.00 | 1280.00 |
| 04-BW-TA03 | | -- Recessed Tag Area: Polished Aluminum Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 04-BW-TA04 | | -- Location: Centered in the kick plate | 1 | AEV | 0.00 | 0.00 |
| 05-EL-44TN | | -- Tag Light: Kinequip LED #132703C | 1 | AEV | 0.00 | 0.00 |
| 04-BW-DP2A | < | -- Rear Kick Plate: Aluminum D/P, Recessed, X-Series 96" wide STD Type 1 | 1 | AEV | 0.00 | 0.00 |
| 04-BW-TA03 | | -- Recessed Tag Area: Polished Aluminum Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 04-BW-TA07 | | -- Location: Offset to the Left SPECIAL | 1 | AEV | 0.00 | 0.00 |
| 05-EL-44TN | | -- Tag Light: Kinequip LED #132703C | 1 | AEV | 0.00 | 0.00 |
| 05-EL-44XL | < | -- Rear Flip up Step Lights, (2), Kinequip LED Strip light #KFL-SLC8 | 1 | AEV | 0.00 | 0.00 |
| 04-BW-DP93 | < | -- Front Stone Guards: 24.0" High, Alum Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 04-BW-DPY9 | < | -- Skirt Rails: Polished D/P, w/ 12-inch LED Lights, X-series >> | 1 | AEV | 0.00 | 0.00 |
| 05-EL-SKXB | < | -- Skirt rail Lights, Front Pair 12" LED | 1 | AEV | 0.00 | 0.00 |
| 05-EL-SKV0 | < | -- (2) Skirt rail LED Strip Lights, Red/White 12" X-series | 1 | AEV | 0.00 | 0.00 |
| 05-EL-SKXC | < | -- Skirt rail Lights, Middle Pair 12" LED | 1 | AEV | 0.00 | 0.00 |
| 05-EL-SKV0 | < | -- (2) Skirt rail LED Strip Lights, Red/White 12" X-series | 1 | AEV | 0.00 | 0.00 |
| 05-EL-SKXD | < | -- Skirt rail Lights, Rear Pair 12"-LED | 1 | AEV | 0.00 | 0.00 |
| 05-EL-SKV0 | < | -- (2) Skirt rail LED Strip Lights, Red/White 12" X-series | 1 | AEV | 0.00 | 0.00 |
| 05-EL-SKZ1 | | -- Skirt rail Lights Switched: Separate Switch in the Cab console | 1 | AEV | 0.00 | 0.00 |
| 05-EL-SLHX | < | -- LED Ground Lights: (6) Kinequip White 12" -LED lights, In Skirt rails x | 1 | AEV | 0.00 | 0.00 |
| 05-EL-SLGY | < | -- LED Ground Lights Switched: | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 7

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|-----|--|-----|-----|---------|----------|
| 04-EA-09A0 | | -- (2) Rear Door Hold Opens: Grabber Style, each door | 1 | AEV | 0.00 | 0.00 |
| 04-ZZ-ZZZZ | | -- | 1 | AEV | 0.00 | 0.00 |
| 04-EA-14C7 | | -- Running Boards, DP, w/ bar grate insert X series Type Reg cab CK45/55/65 STD | 1 | AEV | 0.00 | 0.00 |
| 04-EA-1122 | | -- Mud Flaps Front: Modular, Rubber with AEV/Rev Logo std | 1 | AEV | 0.00 | 0.00 |
| 04-EA-1132 | | -- Mud Flaps Rear: Modular, Rubber AEV LOGO | 1 | AEV | 0.00 | 0.00 |
| | | EXTERIOR LIGHTING / HEAT/AC / INSULATIO - CELL 2 | 1 | AEV | 0.00 | 0.00 |
| 05-00-0001 | | | 1 | AEV | 0.00 | 0.00 |
| 05-EL-1800 | | CORNER CAP LED ICC/WARNING LIGHTS | 1 | AEV | 0.00 | 0.00 |
| 05-EL-18F0 | | -- Front Corner Cap LED ICC/Warning Lights: Warnings RED/WHITE | 1 | AEV | 0.00 | 0.00 |
| 05-EL-18F1 | < | -- Front Center ICC Lts: (3) AMBER Kinequip LED No 112401A, | 1 | AEV | 0.00 | 0.00 |
| 05-EL-18FH | | -- Front ICC Lt Guards: NONE | 1 | AEV | 0.00 | 0.00 |
| 05-EL-18R5 | | -- Rear Corner Cap LED ICC/Warning Lights: Warnings RED/AMBER | 1 | AEV | 0.00 | 0.00 |
| 05-EL-18R1 | < | -- Rear Center ICC Lts: (3) RED Kinequip LED No 112401R | 1 | AEV | 0.00 | 0.00 |
| 05-EL-18RH | | -- Rear ICC Lt Guards: NONE | 1 | AEV | 0.00 | 0.00 |
| 06-SW-CC01 | | -- ICC Warning Lights Switched: Primary Only | 1 | AEV | 0.00 | 0.00 |
| 05-EL-2346 | < | LED, Load LED Module Required | 1 | AEV | 0.00 | 0.00 |
| 05-EL-2503 | < | LED Lights, Patient on Board, X-Series Units | 1 | AEV | 0.00 | 0.00 |
| 05-EL-252C | | -- Red/White LED POB Light, Kinequip Each, X-Series Units | 11 | AEV | 0.00 | 0.00 |
| 05-EL-256X | | -- Lights Switched with Entry Door Switch | 1 | AEV | 0.00 | 0.00 |
| 05-EL-258X | | Underbody Ground Lights : NONE | 1 | AEV | 0.00 | 0.00 |
| 05-EL-42XX | | TAIL LIGHTS | 1 | AEV | 0.00 | 0.00 |
| 05-EL-23X2 | | -- Tail Lights, Whelen LED Combinations , STD, X-Series | 1 | AEV | 0.00 | 0.00 |
| 05-EL-19MO | < | -- Side Marker Lights: (2) RED Kinequip LED No 112401RD | 1 | AEV | 0.00 | 0.00 |
| 05-EL-2414 | | -- Whelen M6 Series, Tail Lights | 1 | AEV | 0.00 | 0.00 |
| 05-EL-2420 | | -- Stop/Tail, Whelen M6 Series, LED, Pair | 1 | AEV | 229.00 | 229.00 |
| 05-EL-2426 | | -- Turn, Whelen M6 Series, LED, Pair | 1 | AEV | 203.00 | 203.00 |
| 05-EL-2432 | | -- Back up, Whelen M6 Series, LED, Pair | 1 | AEV | 296.00 | 296.00 |
| 05-PH-LF24 | | -- M6 Series Flange, Chrome Plated, Std: Three Pair | 1 | AEV | 0.00 | 0.00 |
| 06-ZZ-ZZZZ | | -- | 1 | AEV | 0.00 | 0.00 |
| 05-EL-43SR | < | Third (3rd) Brake Light: Kinequip KFL-3BLO1 LED | 1 | AEV | 0.00 | 0.00 |
| 05-EL-43T2 | | -- Light is to steady burn, no flash | 1 | AEV | 0.00 | 0.00 |
| 05-EL-4584 | | SCENE/FLOOD LIGHTS (LED-M9 Series) | 1 | AEV | 0.00 | 0.00 |
| 05-EL-45L4 | S < | -- Left Scene Lights: (2) LED-M9V Chrome Flange Whelen | 1 | AEV | 1054.00 | 1054.00 |
| 05-EL-0224 | | -- Flanges: Above M9 Scene lights, Incorporated into lights | 1 | AEV | 0.00 | 0.00 |
| 06-EL-18LF | | -- Left Flood Activate: Left Flood Switch | 1 | AEV | 0.00 | 0.00 |
| 05-EL-45T4 | S < | -- Right Scene Lights: (2) LED-M9V Chrome flange Whelen | 1 | AEV | 1054.00 | 1054.00 |
| 05-EL-0224 | | -- Flanges: Above M9 Scene lights, Incorporated into lights | 1 | AEV | 0.00 | 0.00 |
| 06-EL-18RT | | -- Right Flood Activate: Right Flood Switch and open CSE Door | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 8

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|---|--|----------|------------|-------------|-------------|
| 05-EL-46R2 | S | -- Rear Load Lights: (2) LED-M6V Whelen | 1 | AEV | 1054.00 | 1054.00 |
| 05-PH-LF20 | | -- M6 Series Flange, Chrome Plated, Std: Each | 2 | AEV | 0.00 | 0.00 |
| 06-EL-18RE | | -- Activate: Rear Flood Switch, Reverse and Lead RA Door | 1 | AEV | 0.00 | 0.00 |
| 05-HA-13XY | < | HVAC SYSTEM: ACC Hepa-Max, Ducted in Ceiling - X Silverado HD 2nd comp req | 1 | AEV | 0.00 | 0.00 |
| 04-VP-001G | | -- Electric Water Valve For Heater units | 1 | AEV | 0.00 | 0.00 |
| 05-HA-0406 | | -- Water Pump: Installed required | 1 | AEV | 0.00 | 0.00 |
| 05-HA-070X | | -- FILTER, Return Air: HEPA | 1 | AEV | 0.00 | 0.00 |
| 05-HA-14BF | < | -- 2nd AC Compressor Installed 2020+ Silverado 4500/55 by fontaine | 1 | AEV | 0.00 | 0.00 |
| 05-HA-14QX | | -- AC Evaporator: ACC (AC/Heat unit) w/ dual fans, "X" STD | 1 | AEV | 0.00 | 0.00 |
| 05-HA-1101 | | -- Condensation Drain Pan: Internal ABS | 1 | AEV | 0.00 | 0.00 |
| 05-HA-1404 | | -- Heater Hoses: EPDM - Nomex Rubber (per Ford QVM) | 1 | AEV | 0.00 | 0.00 |
| 05-HA-1405 | | -- AC Hoses: Carrier "Quick Click" hose and fitting system | 1 | AEV | 0.00 | 0.00 |
| 05-HA-14A0 | | -- Side Plenum Grille, Return Air: Stamped Powder Coated Steel | 1 | AEV | 0.00 | 0.00 |
| 05-HA-14B1 | | -- Filter, Washable Carbon Pre-Filter | 1 | AEV | 0.00 | 0.00 |
| 10-HA-0309 | < | -- Thermostat, Rear A/C, Digital, Pro-Air, Provided with Combo 125/12v system | 1 | AEV | 0.00 | 0.00 |
| 05-HA-1501 | | Espar Heater System: None | 1 | AEV | 0.00 | 0.00 |
| 05-IL-00X1 | < | Ceiling Panels; white Aluminum Composite (2) piece X series | 1 | AEV | 0.00 | 0.00 |
| 05-IL-01XR | < | -- Dome Lts, LED "LIGHT RAIL" system | 1 | AEV | 0.00 | 0.00 |
| 05-IL-05T1 | < | -- Timer, Constant Hot, Check out, Class 1 Multiplex System | 1 | AEV | 0.00 | 0.00 |
| 06-EC-0914 | < | -- 15 Minute Activation | 1 | AEV | 0.00 | 0.00 |
| 06-EC-09P1 | | -- Timer to Power: Street side DOMES, High intensity | 1 | AEV | 0.00 | 0.00 |
| 09-MH-08A1 | | -- IV Hook No 1: Hook 07 w/ Velcro bag stabilizer - STD | 1 | AEV | 0.00 | 0.00 |
| 29-MH-1000 | | -- LOCATION: Over head/chest area, primary patient on COT | 1 | AEV | 0.00 | 0.00 |
| 09-MH-08A2 | | -- IV Hook No 2: Hook 07 w/ Velcro bag stabilizer - STD | 1 | AEV | 0.00 | 0.00 |
| 09-MH-08P2 | | -- LOCATION: Over head/chest area, secondary patient on S/B | 1 | AEV | 0.00 | 0.00 |
| 09-MH-2AC5 | < | -- Recessed C/S Grab Rail, ceiling: 1.25 Dia..... 3 pt, 72in, Gray Anti microbial | 1 | AEV | 0.00 | 0.00 |
| 09-MH-2ASX | < | -- Recessed S/S Grab Rail, ceiling: 1.25 Dia..... S/S, 3 pt, 72in, Gray X-series | 1 | AEV | 0.00 | 0.00 |
| | | Insulation PKG: X-Series units | 1 | AEV | 0.00 | 0.00 |
| 05-IN-3STX | < | -- Insulation: All Module Doors, 2" Black Foam, X-Series units | 1 | AEV | 0.00 | 0.00 |
| 05-IN-3STY | < | -- Insulation: All Module Doors, Black Sound Proofing, X-Series units | 1 | AEV | 0.00 | 0.00 |
| 05-IN-4ST9 | | -- Insulation Sound Deadening: Generation 9 Floor | 1 | AEV | 0.00 | 0.00 |
| 05-IN-5STX | < | -- Insulation: Walls/Ceiling, 1" Black Foam, X-Series units | 1 | AEV | 0.00 | 0.00 |
| 05-IN-6STX | < | -- Stepwell Insulation: Urethane Froth Insulation, STD X-Series units | 1 | AEV | 0.00 | 0.00 |
| 05-IN-6SXS | < | -- Black Sound Proofing, Doors & Select Walls, X-Series units | 1 | AEV | 0.00 | 0.00 |
| 05-IN-6SXT | < | -- Insulation: Circumferential PKG, 1LEF Reflective, X-Series units | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 9

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|---|---|-----|-----|--------|----------|
| 05-LB-6240 | | -- Front of Module M Series LED System - 92" and wider | 1 | AEV | 0.00 | 0.00 |
| 05-LB-6624 | | -- Whelen, M9 Series LED | 1 | AEV | 0.00 | 0.00 |
| 05-LB-6895 | | -- Flasher for LED front of module | 1 | AEV | 80.00 | 80.00 |
| 05-PM-LT04 | | -- Light: Whelen M9, LED, RED LED/CLEAR Lens, Non-Programmable IATS | 4 | AEV | 254.00 | 1016.00 |
| 05-PH-LF10 | | -- M9 Series Flange, Chrome Plated, Std. Each | 4 | AEV | 0.00 | 0.00 |
| 05-LB-6900 | | -- Alternative Lightbar Switching, Prim/Sec | 1 | AEV | 0.00 | 0.00 |
| 05-PA-LB0B | | -- Rear Light Bar: NONE | 1 | AEV | 0.00 | 0.00 |
| 05-SY-LTML | | M SERIES LED WARNING LT SYSTEM - Sivlerado HD | 1 | AEV | 0.00 | 0.00 |
| 05-FS-0712 | | -- Flasher: None, All M Series LED's Are Programmable | 1 | AEV | 0.00 | 0.00 |
| 05-FS-10P4 | | -- Flash Pattern: None, Internal Light Head Flasher | 1 | AEV | 0.00 | 0.00 |
| 11-ZZ-0909 | < | -- CAAS GVS Exception to C.8.2.12 Warning lights non-compliant to Table 1 dual mode | 1 | AEV | 0.00 | 0.00 |
| 06-SW-PS01 | | -- Warning Light SWITCH: center console, Primary / Secondary | 1 | AEV | 0.00 | 0.00 |
| 11-ZZ-0909 | < | -- CAAS GVS Exception to C.8.2.12 Warning lights non-compliant to Table 1 dual mode | 1 | AEV | 0.00 | 0.00 |
| 05-PL-LT02 | | -- (2) Grille Lights: Whelen M-2, ILOS | 1 | AEV | 0.00 | 0.00 |
| 05-PH-LS0T | | -- Flanges: (2) Chrome, M2 Lights | 1 | AEV | 0.00 | 0.00 |
| 05-PH-LT1C | | -- Lights: (2) Whelen M2, (2), RED/WHITE LED, CLEAR Lens | 1 | AEV | 153.00 | 153.00 |
| 05-FS-1212 | | -- Opt A Programmable Lights Split Color - Color 1 Flashes Opposite Color 2 | 1 | AEV | 18.00 | 18.00 |
| 05-PS-LZ02 | | -- Additional Grille Lights: NONE | 1 | AEV | 0.00 | 0.00 |
| 05-PM-LE09 | | -- (2) Intersection Lights: Whelen M2 Series, LED | 1 | AEV | 0.00 | 0.00 |
| 05-PM-LN09 | | -- Flanges,(2) Chrome : Intersection M2 | 1 | AEV | 0.00 | 0.00 |
| 05-PM-LRC6 | < | -- Lights: (2) Whelen M2, LED, RED LED/CLEAR Lens Programmable Ilos | 1 | AEV | 153.00 | 153.00 |
| 05-PM-LF70 | | -- (1) Center Front Body Light: Whelen M9 Series, LED | 1 | AEV | 0.00 | 0.00 |
| 05-PH-LF10 | | -- M9 Series Flange, Chrome Plated, Std. Each | 1 | AEV | 0.00 | 0.00 |
| 05-PM-LRK0 | | -- Light: Whelen M9, LED, WHITE LED/CLEAR Lens, Non-Programmable ILOS | 1 | AEV | 268.00 | 268.00 |
| 05-PM-LG70 | | -- (2) Outer Front Body Lights: Whelen M9 Series, LED | 1 | AEV | 0.00 | 0.00 |
| 05-PH-LF12 | | -- M9 Series Flange Chrome Plated, Std: Pair | 1 | AEV | 0.00 | 0.00 |
| 05-PM-LRK2 | | -- Light: Whelen M9, LED, RED LED/CLEAR Lens, Non-Programmable ILOS | 2 | AEV | 268.00 | 536.00 |
| 05-PM-LH70 | | -- (4) Upper Side Body Lights: Whelen M9 Series, LED | 1 | AEV | 0.00 | 0.00 |
| 05-PH-LF14 | | -- M9 Series Flange, Chrome Plated, Std: Two Pair | 1 | AEV | 0.00 | 0.00 |
| 05-PM-LRK2 | | -- Light: Whelen M9, LED, RED LED/CLEAR Lens, Non-Programmable ILOS | 4 | AEV | 268.00 | 1072.00 |
| 05-PM-LI50 | | -- (2) Rear Intersection Lights: Whelen M7 Series, LED | 1 | AEV | 63.00 | 63.00 |
| 05-PH-LF22 | | -- M7 Series Flange, Chrome Plated, Std: Each | 2 | AEV | 0.00 | 0.00 |
| 05-PM-LR24 | | -- LED M7 Red - Pair | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 10

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|---|--|----------|------------|-------------|-------------|
| 05-PM-LRA2 | | -- Light, Whelen LED M7 Red LED/Clear Lens - Non-Programmable | 2 | AEV | 122.00 | 244.00 |
| 05-PM-LJ30 | | -- (2) Outer Rear Body Lights: Whelen M6 Series, LED | 1 | AEV | 0.00 | 0.00 |
| 05-PH-LF20 | | -- M6 Series Flange, Chrome Plated, Std: Each | 2 | AEV | 0.00 | 0.00 |
| 05-PM-LRG2 | | -- Light: Whelen M6, LED, RED LED/CLEAR Lens, Non-Programmable | 2 | AEV | 0.00 | 0.00 |
| 05-PM-LK30 | | -- (2) Additional Rear Body Lights: Whelen M6 Series, LED | 1 | AEV | 63.00 | 63.00 |
| 05-PH-LF20 | | -- M6 Series Flange, Chrome Plated, Std: Each | 2 | AEV | 0.00 | 0.00 |
| 05-PM-LQ26 | | -- LED M6 Amber - Pair | 1 | AEV | 294.00 | 294.00 |
| 05-PM-LRG6 | | -- Light: Whelen M6, LED, AMBER LED/CLEAR Lens, Non-Programmable | 2 | AEV | 0.00 | 0.00 |
| 05-PM-LL30 | | -- (1) Center Rear Body Light: Whelen M6 Series, LED ILOS | 1 | AEV | 0.00 | 0.00 |
| 05-PH-LF20 | | -- M6 Series Flange, Chrome Plated, Std: Each | 1 | AEV | 0.00 | 0.00 |
| 05-PM-LQ06 | S | -- LED M6V Amber- Each | 1 | AEV | 527.00 | 527.00 |
| 05-PM-LRG6 | | -- Light: Whelen M6, LED, AMBER LED/CLEAR Lens, Non-Programmable | 1 | AEV | 0.00 | 0.00 |
| 05-PN-KPM0 | | -- Additional Kick Plate Lts, On Rear : NONE | 1 | AEV | 0.00 | 0.00 |
| 05-PZ-09B4 | | -- LED Program Switch : NONE | 1 | AEV | 0.00 | 0.00 |
| 05-ZZ-ZZZZ | | | 1 | AEV | 0.00 | 0.00 |
| | | ELECTRICAL - CELL 3 | 1 | AEV | 0.00 | 0.00 |
| 06-00-0004 | | -- Customer Supplied Part(s) : NONE | 1 | AEV | 0.00 | 0.00 |
| 06-00-0001 | | | 1 | AEV | 0.00 | 0.00 |
| 06-00-0055 | | < Tremco Ignition Security Kit -Silverado HD 4500 + Diesel | 1 | AEV | 200.00 | 200.00 |
| 06-AL-4900 | < | -- Cab Spot Light: None | 1 | AEV | 0.00 | 0.00 |
| 06-AM-SAH3 | < | -- AEV Trauma Hawk Telematics System - Medium Duty AEV RMR-LX1 20-2 | 1 | AEV | 0.00 | 0.00 |
| 06-AM-SAL1 | | -- Location: Passenger's seat base | 1 | AEV | 0.00 | 0.00 |
| 06-RR-0707 | < | -- (1) Speaker: Connect to AEV Traumahawk Telematics in patient area | 1 | AEV | 0.00 | 0.00 |
| 06-BA-3F4K | | Batteries: 2 - Battery System - Silverado HD 4500/5500/6500 | 1 | AEV | 0.00 | 0.00 |
| 06-BA-3FD7 | < | -- Battery Make: (2) Random Make, Min OEM 1100 CCA/HR | 1 | AEV | 0.00 | 0.00 |
| 06-BA-3FN2 | | -- Batt Loc: (T1) All Batteries M-8 | 1 | AEV | 0.00 | 0.00 |
| 06-BA-Q632 | < | -- Battery Switch: Cole Hersee 2484-16 Paddle, Medium Duty, center console | 1 | AEV | 0.00 | 0.00 |
| 06-BA-3FW4 | | -- Batteries Wired: Parallel for higher amperage | 1 | AEV | 0.00 | 0.00 |
| 06-DA-DOM0 | | Dash Light : NONE | 1 | AEV | 0.00 | 0.00 |
| 06-EC-056X | | POWER Door Locks: Module Doors, X-Series Units | 1 | AEV | 0.00 | 0.00 |
| 06-EC-0506 | < | -- Door Locks, Tied into OEM System X series | 1 | AEV | 0.00 | 0.00 |
| 06-EC-0512 | < | -- OEM Key Fob: Included w/Chassis Unlock Mod Doors | 1 | AEV | 0.00 | 0.00 |
| 06-EC-05B9 | | -- Door Lock Switches : Integrated in Interior Entry door Handles -x | 1 | AEV | 0.00 | 0.00 |
| 06-EC-05M0 | | -- ONLY the following doors shall have power door locks: | 1 | AEV | 0.00 | 0.00 |
| 06-EC-05X0 | | -- Electric Door Lock: (M-1A) Upper Left Front Compartment, | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 11

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|---|---|-----|-----|---------|----------|
| 06-EC-05X1 | | -- Electric Door Lock: (M-1) Left Front Compartment | 1 | AEV | 0.00 | 0.00 |
| 06-EC-05X2 | | -- Electric Door Lock: (M-2) Left Middle Compartment | 1 | AEV | 0.00 | 0.00 |
| 06-EC-05X4 | | -- Electric Door Lock: (M-3) Left Rear Compartment | 1 | AEV | 0.00 | 0.00 |
| 06-EC-05X6 | | -- Electric Door Lock: Rear Access Doors | 1 | AEV | 0.00 | 0.00 |
| 06-EC-05X7 | | -- Electric Door Lock: (M-5) Right Rear Compartment | 1 | AEV | 0.00 | 0.00 |
| 06-EC-05X9 | | -- Electric Door Lock: (M-6) Right Rear, Forward Compt | 1 | AEV | 0.00 | 0.00 |
| 06-EC-05XA | | -- Electric Door Lock: Curbside Access Door | 1 | AEV | 0.00 | 0.00 |
| 06-EC-05XB | | -- Electric Door Lock: (M-7) Right Front Compt | 1 | AEV | 0.00 | 0.00 |
| 06-EC-081X | < | -- Remote Keypad #1: Installed, X-Series Units | 1 | AEV | 0.00 | 0.00 |
| 06-EC-0816 | | -- Location: By Curbside Door | 1 | AEV | 0.00 | 0.00 |
| 06-EC-3028 | | Chevy Silverado HD Rearview Camera Installed, Module body | 1 | AEV | 0.00 | 0.00 |
| 06-EC-31FW | < | Patient Area Bullet Camera: Voyager VCCYL37 | 1 | AEV | 250.00 | 250.00 |
| 06-EC-31I2 | | -- Camera Mounted Toward: Rear (Faces Forward) | 1 | AEV | 0.00 | 0.00 |
| ZZ-ZZ-ZZZZ | S | -- *(3) CONTROL SWITCHES/CURBSIDE | 1 | AEV | 225.00 | 225.00 |
| 06-EC-350S | | Circuit Board: RMR Rail System, W/ LED Diagram - Type I Silverado | 1 | AEV | 0.00 | 0.00 |
| 06-EC-CB03 | | -- Circuit Protection, 12V: Blade Breaker - Manual-reset | 1 | AEV | 0.00 | 0.00 |
| 06-RR-23F1 | | -- Ind Light Flasher: Thru 14S Flasher Unit | 1 | AEV | 0.00 | 0.00 |
| 06-RR-2406 | S | -- Type I - COMPOSITE Console: Pass Thru - 14" OAW std Silverado design | 1 | AEV | 0.00 | 0.00 |
| 06-RR-2315 | | -- Type 1 LED Rocker Switches Front and Rear Switch Panels Standard | 1 | AEV | 0.00 | 0.00 |
| 06-EC-3570 | | -- Master Switch: Front Only | 1 | AEV | 0.00 | 0.00 |
| 06-MC-0810 | < | -- Smart Volt Meter: (1) Kinequip 8.0 thru 16.0 Volts, Digital w Low voltage buzze | 1 | AEV | 0.00 | 0.00 |
| 06-RR-23A1 | | -- Engraved LOGO: AEV TraumaHawk | 1 | AEV | 0.00 | 0.00 |
| 06-RR-23I1 | | -- Indicator Light: Halogen AMBER "Compt Open" light | 1 | AEV | 0.00 | 0.00 |
| 06-RR-23I2 | | -- Flashing light: Activate w/ ANY compartment door switch. | 1 | AEV | 0.00 | 0.00 |
| 06-RR-23I3 | | -- Indicator Light: halogen GREEN "AMB PWR" light | 1 | AEV | 0.00 | 0.00 |
| 06-RR-23I4 | | -- Steady burn light: Activate with Conversion power switch | 1 | AEV | 0.00 | 0.00 |
| 06-RR-23I5 | | -- Indicator Light: Halogen RED "Door Ajar" light | 1 | AEV | 0.00 | 0.00 |
| 06-RR-23I6 | | -- Flashing light: Activate w/ ANY Mod entry door switch. | 1 | AEV | 0.00 | 0.00 |
| 06-RR-23J3 | | -- Door/Compartment Ajar Buzzer: None | 1 | AEV | 0.00 | 0.00 |
| 06-RR-23L0 | | -- Illumination strip LED for Front and rear switch panels 12v | 1 | AEV | 0.00 | 0.00 |
| 07-RR-24A0 | | -- Console Finish: Black, Textured "Easy Grip" | 1 | AEV | 0.00 | 0.00 |
| 06-EC-4300 | | Back-up Alarm: Standard 102DB | 1 | AEV | 0.00 | 0.00 |
| 06-EC-43B0 | | -- Cut Off Switch: Auto reset ,momentary style | 1 | AEV | 0.00 | 0.00 |
| 06-EC-GR01 | | Ground Straps, Module to Frame: (Qty 4) Braided | 1 | AEV | 0.00 | 0.00 |
| 06-IG-0310 | | Inverter : Vanner 20-1050 CUL-DC - Full Mod | 1 | AEV | 1233.00 | 1233.00 |
| 06-EC-03AS | | -- Portable Equip Charging Circuits: Included in Inverter | 1 | AEV | 0.00 | 0.00 |
| 06-EC-03AA | | -- PREWIRE LOCATION: (1)Cab Console, (1) Behind A/A | 1 | AEV | 0.00 | 0.00 |
| 06-EC-03C9 | < | -- Portable Equip Pwr Source: Ignition and/or Shoreline | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 12

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|----------|---|----------|------------|---------------|---------------|
| 06-IG-03A0 | | -- Battery Charger/Conditioner: 55A - Built into Inverter | 1 | AEV | 0.00 | 0.00 |
| 06-IG-0003 | | -- Built-in Battery Charger: Enable - Wire to Batteries | 1 | AEV | 0.00 | 0.00 |
| 06-IG-04L0 | | -- Inverter Location: M-2 (LFM) Compartment | 1 | AEV | 0.00 | 0.00 |
| 06-IG-04M0 | | -- On Floor near wall #1 | 1 | AEV | 0.00 | 0.00 |
| 06-IG-04C0 | | -- Lexan Cover: Over Inverter | 1 | AEV | 39.00 | 39.00 |
| | | COMMUNICATION RADIO(S) RELATED | 1 | AEV | 0.00 | 0.00 |
| 06-00-0001 | | -- | 1 | AEV | 0.00 | 0.00 |
| | | RADIO POWER | 1 | AEV | 0.00 | 0.00 |
| 06-EC-03A0 | | -- Radio Power No 1: 30A, Pos and Neg, 10 awg Wires | 1 | AEV | 0.00 | 0.00 |
| 06-EC-03B0 | | -- Radio Power Source: Battery Switch Hot | 1 | AEV | 0.00 | 0.00 |
| 06-EC-03G0 | | -- LOCATION: Behind Passenger's Seat | 1 | AEV | 0.00 | 0.00 |
| 06-EC-03A2 | | -- Radio Power No 2: 30A, Pos and Neg, 10 awg Wires | 1 | AEV | 0.00 | 0.00 |
| 06-EC-03B0 | | -- Radio Power Source: Battery Switch Hot | 1 | AEV | 0.00 | 0.00 |
| 06-EC-03E0 | | -- LOCATION: Behind Action Area Board | 1 | AEV | 0.00 | 0.00 |
| | S | ***LABOR INSTALL RADIOS*** | 1 | AEV | 500.00 | 500.00 |
| 06-RR-0100 | | -- Coaxial Cable, No 1: Type RG-58U, No connectors | 1 | AEV | 0.00 | 0.00 |
| 06-RR-01O1 | < | -- ORIGINATION POINT: Roof Port No 1 | 1 | AEV | 0.00 | 0.00 |
| 06-RR-01P0 | | -- Port Plate: None - Access thru center upholstery panel | 1 | AEV | 0.00 | 0.00 |
| 06-RR-01T1 | | -- TERMINATION POINT: Behind Passenger's seat w/ 36" Tail | 1 | AEV | 0.00 | 0.00 |
| 06-RR-1809 | | -- Patient Area Radio : None | 1 | AEV | 0.00 | 0.00 |
| 06-SO-0000 | | 125V SHORE LINE AND OUTLETS | 1 | AEV | 0.00 | 0.00 |
| 06-00-0001 | | -- | 1 | AEV | 0.00 | 0.00 |
| 06-SO-0500 | | -- Shore Line Inlet: 20A Super Auto Eject, ILOS | 1 | AEV | 317.00 | 317.00 |
| 06-SO-00L1 | | -- Inlet location: Aft of Left Front compartment | 1 | AEV | 0.00 | 0.00 |
| 06-SO-0801 | < | -- Indicator Light, Shore line: Weather proof, power by SL, Green | 1 | AEV | 71.00 | 71.00 |
| 06-SO-1005 | | -- Cover, Yellow, Shore Line Inlet : 20A Super Auto Eject, STD | 1 | AEV | 0.00 | 0.00 |
| 06-SO-10TT | < | -- Inpower Timer: VCM-05-01SF, Installed | 1 | AEV | 62.00 | 62.00 |
| 06-ZZ-ZZZZ | | -- | 1 | AEV | 0.00 | 0.00 |
| 06-SO-1400 | | -- **125 Volt OUTLETS** | 1 | AEV | 0.00 | 0.00 |
| 06-SO-1401 | < | -- 125 VAC Outlet, No 1: 15A, Hospital Grade, IVORY | 1 | AEV | 0.00 | 0.00 |
| 06-SO-14L1 | | -- LOCATION: Action Area, standard location | 1 | AEV | 0.00 | 0.00 |
| 06-SO-14O2 | | -- Outlet mounting ORIENTATION: Vertical | 1 | AEV | 0.00 | 0.00 |
| 06-SO-14O2 | | -- 125 VAC Outlet, No 2: 15A, Hospital Grade, IVORY | 1 | AEV | 0.00 | 0.00 |
| 06-SO-14L3 | | -- LOCATION: RF ALS, (See Drawing) | 1 | AEV | 0.00 | 0.00 |
| 06-SO-14O2 | | -- Outlet mounting ORIENTATION: Vertical | 1 | AEV | 0.00 | 0.00 |
| 06-SO-14O3 | | -- 125 VAC Outlet, No 3: 15A, Hospital Grade, IVORY | 1 | AEV | 82.00 | 82.00 |
| 06-SO-14L4 | | -- LOCATION: Telemetry Area, (See Drawing) | 1 | AEV | 0.00 | 0.00 |
| 06-SO-14O2 | | -- Outlet mounting ORIENTATION: Vertical | 1 | AEV | 0.00 | 0.00 |
| 06-SO-14O4 | | -- 125 VAC Outlet, No 4: 15A, Hospital Grade, IVORY | 1 | AEV | 82.00 | 82.00 |
| 06-SO-14LA | | -- LOCATION: Streetside left wall mid-point | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 13

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|---|--|----------|------------|-------------|-------------|
| 06-SO-1402 | | -- Outlet mounting ORIENTATION: Vertical | 1 | AEV | 0.00 | 0.00 |
| 06-SO-1100 | | **INTERIOR 12 Volt OUTLETS** | 1 | AEV | 0.00 | 0.00 |
| 06-SO-1101 | | -- 12V Outlet, No 1: Power Point Double Outlet- Wire thru Med Isolator | 1 | AEV | 0.00 | 0.00 |
| 06-SO-11L1 | | -- LOCATION: Action Area, standard location | 1 | AEV | 0.00 | 0.00 |
| 06-SO-1402 | | -- Outlet mounting ORIENTATION: Vertical | 1 | AEV | 0.00 | 0.00 |
| 06-SO-1910 | | -- Power Source: Medical Isolator , Batt Sw Hot | 1 | AEV | 0.00 | 0.00 |
| 06-SO-1161 | < | -- 12V Outlet, DUAL USB Fast 4.8A., 2.4 A per slot Round IATS EACH | 1 | AEV | 75.00 | 75.00 |
| 26-SO-11L1 | | -- LOCATION: Action Area wall #2 | 1 | AEV | 0.00 | 0.00 |
| 06-SS-0604 | | Siren: Whelen, 295SLSA1, Standard GM Silverado 4500/5500/6500 + | 1 | AEV | 0.00 | 0.00 |
| 06-SS-FC80 | < | -- Siren Spkr: CPI, Bumper surface bumper SAD/P3819/20-19C45-1 Silverado HD Intl CV | 1 | AEV | 226.00 | 226.00 |
| 06-SS-SW01 | < | -- Siren / Horn Switch: In Cab Console | 1 | AEV | 0.00 | 0.00 |
| 06-SS-SY01 | | Air Horn System: NONE | 1 | AEV | 0.00 | 0.00 |
| 06-SS-1265 | | Siren, Whelen Howler (1) IATS, w/Bracket - D4/5500 2020+ | 1 | AEV | 782.00 | 782.00 |
| 06-SS-1274 | | -- Howler, Mounting Bracket: D4/5500 - HWLRB14 | 1 | AEV | 0.00 | 0.00 |
| 06-ZZ-ZZZZ | | | 1 | AEV | 0.00 | 0.00 |
| | | CABINET SHOP - Modular | 1 | AEV | 0.00 | 0.00 |
| 07-00-0001 | < | ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4" | 1 | AEV | 0.00 | 0.00 |
| | | ***Aluminum Composite Cabinet Configurati 172 Type 1 | 1 | AEV | 0.00 | 0.00 |
| 07-00-0006 | | -- Rubber Cactus Mat : On Cabinet Floors, Drawers & Shelves, X-Series units | 1 | AEV | 0.00 | 0.00 |
| 07-00-0030 | < | -- Aluminum Cabinet Backer-Sound Barrier | 1 | AEV | 0.00 | 0.00 |
| 07-00-MB90 | | -- Interior Color Packages | 1 | AEV | 0.00 | 0.00 |
| 07-00-MC02 | | -- Mica Color: Gloss Gray D355-01 | 1 | AEV | 36.00 | 36.00 |
| 07-00-N002 | | -- All Cabinet interiors Standard Pre-laminated > WHITE | 1 | AEV | 0.00 | 0.00 |
| 07-00-PC00 | | -- LEXAN Type : Specify Color ???????????????????????????????? | 1 | AEV | 0.00 | 0.00 |
| 11-SE-0199 | S | -- **EVS CHILD SAFETY *** | 1 | AEV | 975.00 | 975.00 |
| 07-AC-4500 | < | -- AC CABINET: Evaporator,Location : Bulkhead X Series STD composite Over Walkthru | 1 | AEV | 0.00 | 0.00 |
| 07-CA-03XA | | -- CURBSIDE UPPER: Over Squad Bench | 1 | AEV | 398.00 | 398.00 |
| 07-CU-X101 | | -- Cabinet K: 1 opening with set back center divider | 1 | AEV | 0.00 | 0.00 |
| 07-DR-LXX1 | < | -- Doors, Sliding Lexan : Restocking, STD X-Series Non-Compliant to J3058 | 1 | AEV | 0.00 | 0.00 |
| 07-00-PH05 | | -- Full Length Extruded additional handle to facing door of all slider window | 1 | AEV | 8.00 | 8.00 |
| 11-YZ-0907 | < | -- Non-Compliant to 3.11.3 J3058, cabinets shall not come open in transit | 1 | AEV | 0.00 | 0.00 |
| 11-ZZ-ZZZZ | S | -- *** (3) Restocking Features***** | 1 | AEV | 588.00 | 588.00 |
| 07-CA-04A8 | | -- Cabinet, (3) Glove Storage, over C/S Entry Door | 1 | AEV | 332.00 | 332.00 |
| 07-DR-LX04 | | -- Door: Overlay He, 3/8" Lexan - 3-glove dispense thru | 1 | AEV | 0.00 | 0.00 |
| 07-HW-SO11 | | -- Round Pull Latch: Non-locking - Chrome Finish | 1 | AEV | 27.00 | 27.00 |
| 11-X0-0010 | | -- Stowage rating label - Southco round latch 10 pounds applied each | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 14

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|---|---|-----|-----|--------|----------|
| 07-CA-04B0 | | -- CURBSIDE REAR STORAGE CABINET: NONE | 1 | AEV | 0.00 | 0.00 |
| 07-ZZ-ZZZZ | S | -- ****GRAB HANDLE /CURBSIDE DOOR** | 1 | AEV | 95.00 | 95.00 |
| 07-LF-4800 | | -- LF Cabinet, Behind Att Seat: NONE | 1 | AEV | 0.00 | 0.00 |
| 07-ZZ-ZZZZ | S | -- **ALS CABINET/FRONT OF SQ BENCH | 1 | AEV | 0.00 | 0.00 |
| 07-RF-4500 | < | -- RF ALS Cabinet: Aluminum Composite Construction | 1 | AEV | 0.00 | 0.00 |
| 07-CA-04AX | | -- Cabinet, (3) Glove Storage, 45° Section of RF ALS cabinet, X-Series | 1 | AEV | 0.00 | 0.00 |
| 07-DR-LX0C | | -- Door: Overlay Hinged, 3/8" Lexan - 3-glove dispense thru X-SERIES | 1 | AEV | 0.00 | 0.00 |
| 07-DR-LZ10 | | -- Hinges: Stainless Spring Loaded | 2 | AEV | 0.00 | 0.00 |
| 07-HW-SX11 | | -- Round Pull Latch: Non-locking - Chrome Finish | 1 | AEV | 0.00 | 0.00 |
| 11-X0-0010 | | -- Stowage rating label - Southco round latch 10 pounds applied each | 1 | AEV | 0.00 | 0.00 |
| 07-RF-0003 | | -- Interior Color: White Anti-Microbial Powder Coated | 1 | AEV | 0.00 | 0.00 |
| 07-RF-I1X0 | | -- Cabinet I-1: Standard, Aluminum Composite Construction | 1 | AEV | 0.00 | 0.00 |
| 07-DR-LXXA | | -- Door: Single Flip Up 3/8" Lexan | 1 | AEV | 0.00 | 0.00 |
| 07-DR-LZ20 | | -- Hinges: Reel Torque | 1 | AEV | 0.00 | 0.00 |
| 07-HW-SX11 | | -- Round Pull Latch: Non-locking - Chrome Finish | 1 | AEV | 0.00 | 0.00 |
| 11-X0-0010 | | -- Stowage rating label - Southco round latch 10 pounds applied each | 1 | AEV | 0.00 | 0.00 |
| 07-ZZ-ZZZZ | S | -- (2) DRAWERS/ALS CABINET**** | 1 | AEV | 560.00 | 560.00 |
| 07-RF-I2X0 | | -- Cabinet I-2: Standard, Aluminum Composite Construction | 1 | AEV | 0.00 | 0.00 |
| 07-DR-LXXB | | -- Doors, Dual, Overlay Hinged, 3/8" Lexan - RF ALS Cabinet | 1 | AEV | 0.00 | 0.00 |
| 07-00-PH02 | | -- Window Handles: Full Length Extruded - Hinge Door | 1 | AEV | 0.00 | 0.00 |
| 07-HW-SX15 | | -- Dual Round Pull Latches: Non-locking - Chrome | 1 | AEV | 0.00 | 0.00 |
| 11-X0-0010 | | -- Stowage rating label - Southco round latch 10 pounds applied each | 2 | AEV | 0.00 | 0.00 |
| 07-RA-IOA1 | | -- Outside Access: Thru M-7 (RF) Compartment door. | 1 | AEV | 0.00 | 0.00 |
| 07-RF-0001 | | -- Interior MICA Color: White cabinet liner | 1 | AEV | 0.00 | 0.00 |
| 07-TS-12X2 | | -- Shelf Track: Small Alum. Unistrut, X-Series, RF ALS cabinet | 1 | AEV | 0.00 | 0.00 |
| 07-CA-06VD | | -- (2) Shelves: Adjustable, Aluminum, White Anti-Microbial coated, STD | 1 | AEV | 0.00 | 0.00 |
| 07-RF-I3X0 | < | -- Cabinet I-3: X Standard, Aluminum Composite | 1 | AEV | 0.00 | 0.00 |
| 07-DR-LXXE | | -- Door, Single Solid, Flush - Drug Locker | 1 | AEV | 0.00 | 0.00 |
| 07-CA-2100 | | -- TRIM: U-shaped Door, J-trim opening | 1 | AEV | 0.00 | 0.00 |
| 07-HW-HIN1 | | -- Hinge: 1 1/2" Stainless Steel Piano Hinge | 1 | AEV | 0.00 | 0.00 |
| 07-HW-SX12 | | -- Round Pull Latch: Locking - Chrome Finish | 1 | AEV | 3.00 | 3.00 |
| 11-X0-0010 | | -- Stowage rating label - Southco round latch 10 pounds applied each | 1 | AEV | 0.00 | 0.00 |
| 07-RA-IOA1 | | -- Outside Access: Thru M-7 (RF) Compartment door. | 1 | AEV | 0.00 | 0.00 |
| 07-RF-0001 | | -- Interior MICA Color: White cabinet liner | 1 | AEV | 0.00 | 0.00 |
| 07-RR-0064 | | -- Right Rear Cabinet: Cover over M-5 Compartment | 1 | AEV | 0.00 | 0.00 |
| 07-SB-4500 | | -- SQUAD BENCH: Aluminum Composite Construction X Series | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 15

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|---|---|-----|-----|--------|----------|
| 07-SB-1001 | | -- Storage Under Lid - Configure to M-6 Compartment Size | 1 | AEV | 0.00 | 0.00 |
| 07-SB-LIDX | | -- Squad Bench Lids: Split - 2-section | 1 | AEV | 0.00 | 0.00 |
| 07-SB-LH00 | | -- Hinge, Squad Bench Lid(s): Butt Style Hinges | 1 | AEV | 0.00 | 0.00 |
| 07-SB-LH03 | | -- Lid Checks: Gas shock, Dual Action | 2 | AEV | 0.00 | 0.00 |
| 07-SB-LH07 | | -- Latch, Squad Bench Lid: Slam Action Paddle, W keeper | 2 | AEV | 0.00 | 0.00 |
| 11-X0-0030 | | -- Stowage rating label - Squad bench interior, entire area 80 lbs | 2 | AEV | 0.00 | 0.00 |
| 07-TR-SB01 | | -- Edge Trim, Lids: Band w/ Laminate and J-Trim Protection | 1 | AEV | 0.00 | 0.00 |
| 08-MH-1400 | < | -- Restraint Net, Black, 7 point detachable, at head of S/B, Mod | 1 | AEV | 0.00 | 0.00 |
| 07-TC-4500 | | -- TOP CABINETS, - w/ 72" HR, Aluminum Composite Construction X STD | 1 | AEV | 0.00 | 0.00 |
| 07-TC-A450 | | -- Cabinet A: 72" HR Aluminum Composite X std | 1 | AEV | 0.00 | 0.00 |
| 07-DR-LXXA | | -- Door: Single Flip Up 3/8" Lexan | 1 | AEV | 0.00 | 0.00 |
| 07-DR-LZ20 | | -- Hinges: Reel Torque | 1 | AEV | 0.00 | 0.00 |
| 07-HW-SX11 | | -- Round Pull Latch: Non-locking - Chrome Finish | 1 | AEV | 0.00 | 0.00 |
| 11-X0-0010 | | -- Stowage rating label - Southco round latch 10 pounds applied each | 1 | AEV | 0.00 | 0.00 |
| 07-TS-12X0 | | -- Shelf Track: Small Alum. Unistrut, X-Series | 1 | AEV | 0.00 | 0.00 |
| 07-CA-06VB | | -- (1) Shelf: Adjustable, Aluminum, White Anti-Microbial coated | 1 | AEV | 0.00 | 0.00 |
| 07-TC-B450 | | -- Cabinet B: Ergonomically angled toward the CPR seat (72"HR) X Std | 1 | AEV | 0.00 | 0.00 |
| 07-CB-DR75 | | -- Doors; Cabinet B Secure Latch Restocking Sliding Window Top hinged x | 1 | AEV | 0.00 | 0.00 |
| 11-X0-0016 | | -- Stowage rating label Secure Latch Restocking Sliding Window 30 pounds applied | 1 | AEV | 0.00 | 0.00 |
| 07-TS-12X0 | | -- Shelf Track: Small Alum. Unistrut, X-Series | 1 | AEV | 0.00 | 0.00 |
| 07-CA-06VB | | -- (1) Shelf: Adjustable, Aluminum, White Anti-Microbial coated | 1 | AEV | 0.00 | 0.00 |
| 07-WC-0000 | S | -- ***DRAWER/ LEFT / CPR SEAT*** | 1 | AEV | 280.00 | 280.00 |
| 07-WC-4500 | | -- WALL CABINET: CPR Seat w/Telemetry, Aluminum Composite Construction X | 1 | AEV | 0.00 | 0.00 |
| 07-WC-AAX1 | | -- Action Area: Standard | 1 | AEV | 0.00 | 0.00 |
| 07-CA-480X | | -- 1/2" Solid Surface A/A Tray W/ Bio Waste, X-Series STD | 1 | AEV | 0.00 | 0.00 |
| 07-CA-480Y | < | -- Solid Surface : Specify Color of Tray ???????????????????????????????? | 1 | AEV | 0.00 | 0.00 |
| 07-CA-4U01 | < | -- Solid Surface Bezel for sharps and trash w Lid on trash X series std | 1 | AEV | 0.00 | 0.00 |
| 07-SB-1005 | | -- WASTE CONTAINER: 6 Quart | 1 | AEV | 0.00 | 0.00 |
| 07-SB-1008 | | -- SHARPS CONTAINER: 2-Gallon Sharps-A-Gator (CONT-02) | 1 | AEV | 0.00 | 0.00 |
| 07-CA-4U08 | | -- Solid Surface extension in front of O1 X series std | 1 | AEV | 0.00 | 0.00 |
| 07-WC-AABD | | -- Action Area Board: Black Grip See Station No 6 for content | 1 | AEV | 0.00 | 0.00 |
| 07-WC-O10X | | -- Cabinet O1: Standard, Aluminum Composite Construction | 1 | AEV | 0.00 | 0.00 |
| 07-DR-LXX5 | | -- (O1)Door: Single Overlay Lexan Hinged Right | 1 | AEV | 0.00 | 0.00 |
| 07-DR-LZ10 | | -- Hinges: Stainless Spring Loaded | 1 | AEV | 0.00 | 0.00 |
| 07-HW-SX11 | | -- Round Pull Latch: Non-locking - Chrome Finish | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 16

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|---|--|-----|-----|------|----------|
| 11-X0-0010 | | -- Stowage rating label - Southco round latch 10 pounds applied each | 1 | AEV | 0.00 | 0.00 |
| 07-TS-12X0 | | -- Shelf Track: Small Alum. Unistrut, X-Series | 1 | AEV | 0.00 | 0.00 |
| 07-CA-06VB | | -- (1) Shelf: Adjustable, Aluminum, White Anti-Microbial coated | 1 | AEV | 0.00 | 0.00 |
| 07-WC-C64X | | -- Cabinet C: Aluminum Composite Construction | 1 | AEV | 0.00 | 0.00 |
| 07-CB-DR7C | < | -- Doors; Cabinet C Secure Latch Restocking Sliding Window Left Side Hinged X | 1 | AEV | 0.00 | 0.00 |
| 11-X0-0016 | | -- Stowage rating label Secure Latch Restocking Sliding Window 30 pounds applied | 1 | AEV | 0.00 | 0.00 |
| 07-RF-0008 | | -- No Inside Access To Exterior Compartment | 1 | AEV | 0.00 | 0.00 |
| 07-TS-12X0 | | -- Shelf Track: Small Alum. Unistrut, X-Series | 1 | AEV | 0.00 | 0.00 |
| 07-CA-06VB | | -- (1) Shelf: Adjustable, Aluminum, White Anti-Microbial coated | 1 | AEV | 0.00 | 0.00 |
| 07-WC-D64X | | -- Cabinet D: Ergonomically Angled Over Telemetry, Alum Composite Construction | 1 | AEV | 0.00 | 0.00 |
| 07-CB-DR7D | < | -- Doors; Cabinet D Secure Latch Restocking Sliding Window Top hinged x | 1 | AEV | 0.00 | 0.00 |
| 11-X0-0016 | | -- Stowage rating label Secure Latch Restocking Sliding Window 30 pounds applied | 1 | AEV | 0.00 | 0.00 |
| 07-TS-12X0 | | -- Shelf Track: Small Alum. Unistrut, X-Series | 1 | AEV | 0.00 | 0.00 |
| 07-CA-06VB | | -- (1) Shelf: Adjustable, Aluminum, White Anti-Microbial coated | 1 | AEV | 0.00 | 0.00 |
| 07-WC-E64X | | -- Cabinet E: 172 Standard, Aluminum Composite Construction | 1 | AEV | 0.00 | 0.00 |
| 07-CB-DR7E | < | -- Doors; Cabinet E Secure Latch Restocking Sliding Window Top hinged x | 1 | AEV | 0.00 | 0.00 |
| 11-X0-0016 | | -- Stowage rating label Secure Latch Restocking Sliding Window 30 pounds applied | 1 | AEV | 0.00 | 0.00 |
| 07-RF-0008 | | -- No Inside Access To Exterior Compartment | 1 | AEV | 0.00 | 0.00 |
| 07-TS-12X0 | | -- Shelf Track: Small Alum. Unistrut, X-Series | 1 | AEV | 0.00 | 0.00 |
| 07-CA-06VB | | -- (1) Shelf: Adjustable, Aluminum, White Anti-Microbial coated | 1 | AEV | 0.00 | 0.00 |
| 07-WC-F64X | | -- Cabinet F: Standard, Aluminum Composite Construction | 1 | AEV | 0.00 | 0.00 |
| 07-CB-DR7F | < | -- Doors; Cabinet F Secure Latch Restocking Sliding Window Bottom hinged x | 1 | AEV | 0.00 | 0.00 |
| 11-X0-0016 | | -- Stowage rating label Secure Latch Restocking Sliding Window 30 pounds applied | 1 | AEV | 0.00 | 0.00 |
| 07-ZZ-ZZZZ | S | -- ***CUSTOM LEFT WALL***** | 1 | AEV | 0.00 | 0.00 |
| 07-WC-SS09 | | -- CPR Side Seat: None, See Work Order for Specifics | 1 | AEV | 0.00 | 0.00 |
| 07-WC-TAX1 | | -- Telemetry Area: with armrest pad | 1 | AEV | 0.00 | 0.00 |
| 07-CA-49X0 | | -- 1/2" Solid Surface Telemetry Area Tray: X-Series STD | 1 | AEV | 0.00 | 0.00 |
| 07-CA-480Y | < | -- Solid Surface : Specify Color of Tray ????????????????????????????????????? | 1 | AEV | 0.00 | 0.00 |
| 08-SE-1702 | | -- P4 - 4-Point PER4MAX Restraint System - with replacement indicator W/CPR | 1 | AEV | 0.00 | 0.00 |
| 08-SE-1820 | < | -- (2) on Squad Bench, (1) CPR Side Seat Per4Max Black Belts | 1 | AEV | 0.00 | 0.00 |
| 08-SE-SB70 | | -- S/B: (3) Sec patient restraints - 9" Sleeves Face of Bench | 1 | AEV | 0.00 | 0.00 |
| 08-SE-SB76 | | -- S/B: (3) Sec patient restraints - 5" Sleeves By Hinge | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 17

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|---|---|----------|------------|-------------|-------------|
| 00-20-0072 | | -- Per4Max Four-Point Seatbelts: Accept and Install Full Feature | 1 | AEV | 0.00 | 0.00 |
| | | CABINET SET - CELL 4 - MOD | 1 | AEV | 0.00 | 0.00 |
| 08-00-00CX | | -- Sub Floor, 3/4" Composite, STD | 1 | AEV | 0.00 | 0.00 |
| 08-00-FL30 | | Flooring: Lonplate II - #424 Gun Metal (Dark Gray) | 1 | AEV | 273.00 | 273.00 |
| 08-00-FLOB | < | -- Flooring Main Edge, 3" Recessed 3/4: deep w Blue LED Lighted roll-up | 1 | AEV | 418.00 | 418.00 |
| 11-ZZ-0919 | < | -- Exception to C.9.4.1 Patient compartment lighting contains blue lighting | 1 | AEV | 0.00 | 0.00 |
| 08-AS-0001 | < | -- Rear Threshold, Stainless, 6" Wide x Full Width at rear doors | 1 | AEV | 0.00 | 0.00 |
| 08-AS-0006 | | -- C/S Stepwell Threshold, Polished Diamond Plate | 1 | AEV | 0.00 | 0.00 |
| 08-CS-0001 | | COT MOUNT HARDWARE: (Full Size Mod) | 1 | AEV | 0.00 | 0.00 |
| 08-CR-09PL | < | -- Cot Mount: Stryker, No 6390, Power Load, Installed | 1 | AEV | 22169.00 | 22169.00 |
| 08-CR-09PN | | -- mass casualty kit not requested | 1 | AEV | 0.00 | 0.00 |
| 08-CR-1002 | < | -- 12v power feed location FRONT for Stryker power load 6390 | 1 | AEV | 0.00 | 0.00 |
| 08-CS-00PL | < | -- Cot Position No 1: PRIMARY CENTER POSITION, | 1 | AEV | 0.00 | 0.00 |
| 08-CS-2000 | < | -- Primary Cot position under floor reinforcement | 1 | AEV | 0.00 | 0.00 |
| 08-CS-3009 | | -- Cot mount set up for: Stryker Power-Pro 6506 | 1 | AEV | 0.00 | 0.00 |
| 08-CS-19A5 | | -- Cot Stop, Block: Stryker Power/Performance load. Install hook with kit | 1 | AEV | 15.00 | 15.00 |
| 08-CS-3009 | | -- Cot mount set up for: Stryker Power-Pro 6506 | 1 | AEV | 0.00 | 0.00 |
| 08-CS-19U1 | | -- Q Straint System: NONE | 1 | AEV | 0.00 | 0.00 |
| 08-OS-04SX | | OXYGEN / AIR / VACUUM System: X-Series | 1 | AEV | 0.00 | 0.00 |
| 08-OS-0401 | | -- Oxygen Outlet No 1: Amico Console - Ohmeda/Ohio Diamond Style | 1 | AEV | 0.00 | 0.00 |
| 08-OS-040A | | -- LOCATION: Action Area | 1 | AEV | 0.00 | 0.00 |
| 08-OS-0402 | | -- Oxygen Outlet No 2: Amico Console - Ohmeda/Ohio Diamond Style | 1 | AEV | 0.00 | 0.00 |
| 08-OS-040A | | -- LOCATION: Action Area | 1 | AEV | 0.00 | 0.00 |
| 08-OS-0403 | | -- Oxygen Outlet No 3: Amico Console - Ohmeda/Ohio Diamond Style | 1 | AEV | 144.00 | 144.00 |
| 08-OS-040D | | -- LOCATION: Curbside Wall, over the head of the S/B | 1 | AEV | 0.00 | 0.00 |
| 08-OS-08B2 | < | -- Port Cyl Rack No 2: CPI Auto-Release Duramount (no strap) D tank | 1 | AEV | 248.00 | 248.00 |
| 08-OS-090L | < | -- Port Cyl Rack No 1: CPI Auto-Release Duramount (no strap) D tank | 1 | AEV | 0.00 | 0.00 |
| 08-OS-1331 | < | -- Rack No 1: Adjustable AEV O2 Rack Green with 4 Ratchet Straps M/H | 1 | AEV | 0.00 | 0.00 |
| 08-OS-11G1 | < | -- Cylinder Type: OXYGEN - Green Colored Hose | 1 | AEV | 0.00 | 0.00 |
| 08-OS-1301 | | -- Rack Location: Left Front, wall #2 near wall #3 | 1 | AEV | 0.00 | 0.00 |
| 08-OS-132M | | -- Set up For M cylinder | 1 | AEV | 0.00 | 0.00 |
| 08-OS-1710 | < | -- Regulator, Oxygen, Fixed output @ 50 psi +/-5 , CGA 540, Installed STD | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 18

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|---|---|----------|------------|-------------|-------------|
| 08-OS-1902 | | -- Regulator Wrench: Cast aluminum, OXYGEN w/ cable lanyard | 1 | AEV | 0.00 | 0.00 |
| 08-OS-35ST | | -- Vacuum System: SSCOR regulator/gauge panel in A/A | 1 | AEV | 0.00 | 0.00 |
| 08-OS-3501 | < | -- Collection Canister w Clip: Bemis, 1200 CC Capacity -J3043 retention compliant | 1 | AEV | 0.00 | 0.00 |
| 08-OS-3502 | | -- VAC Plumbing: Direct from panel to canister - NO Outlet | 1 | AEV | 0.00 | 0.00 |
| 08-OS-3503 | | -- Vacuum Pump: 49 State | 1 | AEV | 0.00 | 0.00 |
| 08-OS-35L4 | | -- Location: M-2 Compartment | 1 | AEV | 0.00 | 0.00 |
| | | TRIM / DOOR ASSEMBLY - CELL 5 | 1 | AEV | 0.00 | 0.00 |
| 09-00-002S | | -- Interior window and aluminum trim with standard satin finish- std | 1 | AEV | 0.00 | 0.00 |
| 09-00-000Z | | *****Door Department X Series > New | 1 | AEV | 0.00 | 0.00 |
| 02-BT-C85V | | -- Handles, Ext: Tri-mark 1875, Free Float, Polished CNC finish X-Series | 1 | AEV | 0.00 | 0.00 |
| 02-BT-C85A | | -- Interior Release: All Entry Doors, with bezel Emergency Access | 1 | AEV | 0.00 | 0.00 |
| 09-B1-ED0X | | -- Entry Door Panels, Windows and Hardware, X-Series Units | 1 | AEV | 0.00 | 0.00 |
| 08-MH-0020 | | -- Interior Grab Handle Color: Yellow Antimicrobial | 1 | AEV | 0.00 | 0.00 |
| 08-MH-0318 | < | -- Grab Handle, CS Entry: (1) 3-pt "L" Shaped 90, Yellow Antimicrobial | 1 | AEV | 114.00 | 114.00 |
| 08-MH-03E8 | | -- Grab Handles, Rear Access: (2) 3-pt "L" Shaped 90, Yellow Antimicrobial | 1 | AEV | 226.00 | 226.00 |
| 09-AS-070X | < | -- Door Panels: Mica over Smooth Alum (Upper/Lower), Upholstery (Center) | 1 | AEV | 0.00 | 0.00 |
| 09-WI-02BX | | -- "AUTO SHADE" Windows: Upper R/A Doors, Fixed Glass, X-Series STD | 1 | AEV | 0.00 | 0.00 |
| 09-WI-06BX | | -- "AUTO SHADE" Window: Upper C/S Access, Fixed Glass, X-Series STD | 1 | AEV | 0.00 | 0.00 |
| 09-WI-09BX | | -- Inverter, "Auto Shade" Windows : Part of X series windows | 1 | AEV | 0.00 | 0.00 |
| 09-IN-3STX | < | -- Insulation: All Module Doors, 2" Black Foam, X-Series units | 1 | AEV | 0.00 | 0.00 |
| 09-IN-3STY | < | -- Insulation: All Module Doors, Black Sound Proofing, X-Series units | 1 | AEV | 0.00 | 0.00 |
| 09-MH-2530 | < | -- Grab Rail, (1), 18" Gray Antimicrobial Rear Entry Assist std. | 1 | AEV | 0.00 | 0.00 |
| 09-DR-WT00 | | Talk Through Window: Sliding Lexan Window - CLEAR | 1 | AEV | 0.00 | 0.00 |
| 09-DR-WT20 | | -- Sliding Window Locking Pin: 1/4" with Lanyard | 1 | AEV | 0.00 | 0.00 |
| 09-FM-10X4 | | Dri-Dek Compt Floors and shelves, Blue, STD X-Series | 1 | AEV | 0.00 | 0.00 |
| 09-FM-11X1 | | -- Dri-Dek EDGES: Blue, Beveled frontal edges | 1 | AEV | 0.00 | 0.00 |
| | | ELECTRICAL Point to Point - CELL 6 | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13X2 | | Cabinet Light(s) : "DAY BRIGHT" LED White Lights, X-Series Units | 1 | AEV | 0.00 | 0.00 |
| 05-IL-13S1 | | -- Cab Interior Lights Switching: Thru MultiPlex System | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13Y0 | | -- Daybright location 1 | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13YB | | -- Daybright Light Location Cabinet B | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13Y1 | | -- Daybright location 2 | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 19

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|---|---|----------|------------|-------------|-------------|
| 10-EB-13YD | | -- Daybright Light Location Cabinet D | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13Y2 | | -- Daybright location 3 | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13YO | | -- Daybright Light Location Cabinet O1 | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13Y3 | | -- Daybright location 4 | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13YC | | -- Daybright Light Location Cabinet C | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13Y4 | | -- Daybright location 5 | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13YI | | -- Daybright Light Location Cabinet I-1 | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13Y5 | | -- Daybright location 6 | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13YI | | -- Daybright Light Location Cabinet I-1 | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13Y6 | | -- Daybright location 7 | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13YI | | -- Daybright Light Location Cabinet I-1 | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13Y7 | | -- Daybright location 8 | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13YI | | -- Daybright Light Location Cabinet I-1 | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13Y8 | | -- Daybright location 9 | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13YI | | -- Daybright Light Location Cabinet I-1 | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13Y9 | | -- Daybright location 10 | 1 | AEV | 0.00 | 0.00 |
| 10-EB-13YI | | -- Daybright Light Location Cabinet I-1 | 1 | AEV | 0.00 | 0.00 |
| 10-IL-02ST | | Action Area Light: 12V, LED, Surface Mount | 1 | AEV | 0.00 | 0.00 |
| 10-IL-02L7 | | -- Light Location: Action Area | 1 | AEV | 0.00 | 0.00 |
| | | UPHOLSTERY - CELL 7 | 1 | AEV | 0.00 | 0.00 |
| 11-00-0002 | | Upholstery : Specify Color Required ???????????????????????????????? | 1 | AEV | 0.00 | 0.00 |
| 11-00-UT0X | | Uph Joint Type: "PREMIUM " Upgrade | 1 | AEV | 0.00 | 0.00 |
| 11-SB-0005 | | Squad Bench seat cushion cut-outs: None | 1 | AEV | 0.00 | 0.00 |
| 11-SE-CSPD | | Head Protection: Pad over CS Entry Door | 1 | AEV | 0.00 | 0.00 |
| 11-SE-REPD | | Head Protection: 2" Pad over Rear Access Doors, Full Width | 1 | AEV | 0.00 | 0.00 |
| | | PAINT - STRIPES - DECALS | 1 | AEV | 0.00 | 0.00 |
| 12-PT-UNCT | | -- Undercoating : Per QVM Guidelines, STD | 1 | AEV | 0.00 | 0.00 |
| 12-DC-0001 | | Reflective Tape: On painted edges of Exterior Door Frame | 1 | AEV | 0.00 | 0.00 |
| 12-DC-GA10 | | Compartment Finish: Diamond Plate Standard | 1 | AEV | 0.00 | 0.00 |
| 12-PT-0100 | | Primary (Over All) Color: White (YZ) | 1 | AEV | 0.00 | 0.00 |
| 12-DC-0002 | < | -- Flip Step Reflective/Prismatic Tape: Red/White/R/W/R/W/R | 1 | AEV | 0.00 | 0.00 |
| 12-PT-0112 | | -- Tape Stripe: NONE (KKK-F Deviation) | 1 | AEV | 0.00 | 0.00 |
| 11-YZ-0962 | | -- Non-Compliant toKKK-F 3.16.2 ;Exterior Safety stripe to be Orange | 1 | AEV | 0.00 | 0.00 |
| 12-ZZ-ZZZZ | S | -- ***STRIPING & GRAPHICS*** | 1 | AEV | 3470.00 | 3470.00 |
| 12-PT-RF01 | < | -- Roof Paint: Color and finish quality to be GLOSSY | 1 | AEV | 0.00 | 0.00 |
| 12-PT-DRIP | < | Drip Rails: Bright Aluminum, De-burred and rounded corners | 1 | AEV | 0.00 | 0.00 |
| | | DETAIL - SHIP LOOSE ITEMS | 1 | AEV | 0.00 | 0.00 |
| 12-PT-DRIZ | < | -- Drip Rails: Detail-Refer to Paint Section for Drip Rail Information | 1 | AEV | 0.00 | 0.00 |
| 13-10-XM00 | | -- Owner's Manual USB Flash Drive ship loose | 1 | AEV | 0.00 | 0.00 |
| 13-KK-KDEC | | Decals: KKK / DOT Pkg, Blue/White reflective - Ship Loose | 1 | AEV | 0.00 | 0.00 |
| 13-RF-STAS | | -- Decals: 32" Star of Life - Ship Loose | 1 | AEV | 0.00 | 0.00 |
| 13-KK-NSSB | | Decals: NO SMOKING & SEATBELT, installed, cab & pt. area. | 1 | AEV | 0.00 | 0.00 |

07/22/2021

Page 20

| PART NO | S | DESCRIPTION | QTY | ID | EACH | EXTENDED |
|------------|---|---|-----|-----|-----------|-------------------|
| 13-KL-0010 | | AEV Logos: Installed on unit per AEV standard locations | 1 | AEV | 0.00 | 0.00 |
| 13-MH-05ST | | < Fire Extinguisher, 5 pound, shipped loose, Std | 1 | AEV | 0.00 | 0.00 |
| 11-YZ-0932 | | < -- Exception to 3.15.2 Required Two fire extinguishers installed by FSAM | 1 | AEV | 0.00 | 0.00 |
| 11-ZZ-0932 | | < -- Exception to C.16.1 1 Required Two fire extinguishers installed by FSAM | 1 | AEV | 0.00 | 0.00 |
| 13-MH-10A0 | | Reflector Pkg: Body - 2ea, Side Fr Amber, Side Rear Red, Rear Red | 1 | AEV | 0.00 | 0.00 |
| 13-SB-0003 | | Post And Wheel Cups: NONE | 1 | AEV | 0.00 | 0.00 |
| 13-SP-TIRE | | Spare Tire: Refer To Chassis Section to See if it gets one. | 1 | AEV | 0.00 | 0.00 |
| 34-XX-0001 | | Primary Cot: NONE included | 1 | AEV | 0.00 | 0.00 |
| 34-XX-0002 | | Secondary Stretcher: NONE included | 1 | AEV | 0.00 | 0.00 |
| 34-XX-5000 | | < Indemnification Statement | 1 | AEV | 0.00 | 0.00 |
| | | == 172 x 95 LWB Silverado HD X Base Price - 15.015 07/22/20 == | 1 | AEV | 0.00 | 0.00 |
| | S | **Sheriff's Association Fee/ .075% | 1 | AEV | 1793.00 | 1793.00 |
| 03-00-0001 | S | ***CREDIT*** | 1 | AEV | -1231.00 | -1231.00 |
| 03-08-101P | S | 2020 *172** Silverado CC5500HD 4 x 2 Reg cab Diesel (X-Series) Conv PKG -20-2 | 1 | AEV | 130104.00 | 130104.00 |
| 03-ZZ-ZZZZ | S | ***CHEV FLEET *** | 1 | AEV | -6200.00 | -6200.00 |
| 36-EO-0001 | | -- ***END OF ORDER*** | 1 | AEV | 0.00 | 0.00 |
| | | Total | | | | 240,872.09 |